

tekmar® Submittal

tekmarNet® 4 User Switch 479



Accessories


C 479

01/11

Replaces: New

Job _____ Designer _____ Contact _____

The tekmarNet® 4 User Switch 479 is a simple 3 button switch that provides an easy way to override system temperatures. This user switch is a must have for any tekmarNet® system. Using tekmarNet® 4 to communicate with any other compatible tekmarNet® devices, the 479 User Switch allows the owner to override their entire tekmarNet® system, and offers the potential for significant energy savings. With the push of a button, the user can place all thermostats and boiler controls into an “away” state and take advantage of saving energy when the building is not being used.



Specifications

tN4 User Switch 479 Pre-Programmed	
Literature	D479, W479, J479, U479
Control	Microprocessor-based. This is not a safety (limit) device
Packaged weight	0.5 lb. (230 g)
Dimensions	4.5" H x 2.75" W x 0.8" D (114 x 70 x 20 mm)
Enclosure	White PC+ABS plastic
Approvals	CSA C US, meets Class B: ICES & FCC Part 15
Ambient conditions	Indoor use only, 32 to 122°F (0 to 50°C), RH ≤92% to 104°F (40°C), and 50% above 104°F (40°C), Altitude <9840 ft. (3000 m), Pollution Degree 2
Power supply	24 V (ac) ± 10%, 50/60 Hz, 2.2 VA
Warranty	Limited 3 Year (See D479 for full warranty)

Features

- tekmarNet® 4 and tekmarNet® 2 compatible
- 3 user buttons
- One touch system overrides
- Setback up to 96 thermostats with one button.


SPECIAL REQUIREMENTS

This product is designed for, and only works with tekmarNet® thermostats.

Sample Application Drawing

Below is a sample application drawing for this product. This application may include other tekmar products that are required for installation. More sample applications can be found at www.tekmarcontrols.com.

Sample Mechanical diagram



Sample Electrical diagram

