

For Residential and Commercial Applications

Job Name		Engineer / Architect	
Job Location		Wholesaler	
Submittal Date		Contractor	

1-A/ 3-**A Copper Faucet Riser - One-Piece with Insert**

Use: For use in potable water distribution systems in accessible locations only.

Design Features:

- **One-piece construction**
- **Cut-to-Length** for clean, professional installation
- **100% Compliant** to California and Vermont "low-lead" requirements


Operating Specifications:

Temperature: 40°- 180° F

Pressure: 125 psi maximum

Tubing Diameter: 0.38" O.D. or 0.50" O.D.

MATERIAL SPECIFICATIONS	
Tube	C12200 copper per ASTM B-68
Insert	POM
Optional Brass Nosepiece	Compliant brass
Optional Cone Washer	Nitrile rubber
Optional Brass Ring	Compliant brass

**Part Listing:**

☐ 1-12A C	3/8" OD tube x 11-1/2" length, chrome plated
☐ 1-12A CBT	3/8" OD tube x 11-1/2" length, chrome plated, plain package, bulk
☐ 1-12A C2	3/8" OD tube x 11-1/2" length, chrome plated, 2 pack
☐ 1-12A R	3/8" OD tube x 11-1/2" length, rough finish
☐ 1-12A RBT	3/8" OD tube x 11-1/2" length, rough finish, plain package, bulk
☐ 1-12A R2	3/8" OD tube x 11-1/2" length, rough finish, 2 pack
☐ 1-12AS C	3/8" OD tube x 11-1/2" length, brass nosepiece, chrome plated
☐ 1-12AS R	3/8" OD tube x 11-1/2" length, brass nosepiece, rough finish
☐ 1-12A BZP	3/8" OD tube x 11-1/2" length, oil rubbed bronze, bagged
☐ 1-12A NPP	3/8" OD tube x 11-1/2" length, polished nickel, bagged
☐ 1-12A NSP	3/8" OD tube x 11-1/2" length, satin nickel, bagged
☐ 1-15A C	3/8" OD tube x 14-1/2" length, chrome plated
☐ 1-15A CBT	3/8" OD tube x 14-1/2" length, chrome plated, plain package, bulk
☐ 1-15A C2	3/8" OD tube x 14-1/2" length, chrome plated, 2 pack
☐ 1-15A R	3/8" OD tube x 14-1/2" length, rough finish
☐ 1-15A RBT	3/8" OD tube x 14-1/2" length, rough finish, plain

This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.

BrassCraft®

1-**A/ 3-**A Copper Faucet Riser - One-Piece with Insert

Part Listing (con't):

☐	1-20A C	3/8" OD tube x 19-1/2" length, chrome plated
☐	1-20A CBT	3/8" OD tube x 19-1/2" length, chrome plated, plain package, bulk
☐	1-20A CF	3/8" OD tube x 19-1/2" length, chrome plated, flag label
☐	1-20A C2	3/8" OD tube x 19-1/2" length, chrome plated, 2 pack
☐	1-20A R	3/8" OD tube x 19-1/2" length, rough finish
☐	1-20A RBT	3/8" OD tube x 19-1/2" length, rough finish, plain package, bulk
☐	1-20A R2	3/8" OD tube x 19-1/2" length, rough finish, 2 pack
☐	1-20AS C	3/8" OD tube x 19-1/2" length, brass nosepiece, chrome plated
☐	1-20AS R	3/8" OD tube x 19-1/2" length, brass nosepiece, rough finish
☐	1-20A BZP	3/8" OD tube x 19-1/2" length, oil rubbed bronze, bagged
☐	1-20A NPP	3/8" OD tube x 19-1/2" length, polished nickel, bagged
☐	1-20A NSP	3/8" OD tube x 19-1/2" length, satin nickel, bagged
☐	1-20A PP	3/8" OD tube x 19-1/2" length, polished brass, bagged
☐	1-30A C	3/8" OD tube x 29-1/2" length, chrome plated
☐	1-30A CBT	3/8" OD tube x 29-1/2" length, chrome plated, plain package, bulk
☐	1-30A C2	3/8" OD tube x 29-1/2" length, chrome plated, 2 pack
☐	1-30A R	3/8" OD tube x 29-1/2" length, rough finish
☐	1-30A RBT	3/8" OD tube x 29-1/2" length, rough finish, plain package, bulk
☐	1-30A R2	3/8" OD tube x 29-1/2" length, rough finish, 2 pack
☐	1-30AS C	3/8" OD tube x 29-1/2" length, brass nosepiece, chrome plated
☐	1-30AS R	3/8" OD tube x 29-1/2" length, brass nosepiece, rough finish
☐	1-30A BZP	3/8" OD tube x 29-1/2" length, oil rubbed bronze, bagged
☐	1-30A NSP	3/8" OD tube x 29-1/2" length, satin nickel, bagged
☐	1-30A PP	3/8" OD tube x 29-1/2" length, polished brass, bagged
☐	1-36A C	3/8" OD tube x 35-1/2" length, chrome plated
☐	1-36A CBT	3/8" OD tube x 35-1/2" length, chrome plated, plain package, bulk
☐	1-36A C2	3/8" OD tube x 35-1/2" length, chrome plated, 2 pack
☐	1-36A R	3/8" OD tube x 35-1/2" length, rough brass
☐	1-36A RBT	3/8" OD tube x 35-1/2" length, rough brass, plain package, bulk
☐	1-36A R2	3/8" OD tube x 35-1/2" length, rough brass, 2 pack
☐	1-36AS C	3/8" OD tube x 35-1/2" length, brass nosepiece, chrome plated
☐	3-12A C	1/2" OD tube x 11-1/2" length, chrome plated
☐	3-12A CBT	1/2" OD tube x 11-1/2" length, chrome plated, plain package, bulk
☐	3-12A C2	1/2" OD tube x 11-1/2" length, chrome plated, 2 pack
☐	3-12A R	1/2" OD tube x 11-1/2" length, rough finish
☐	3-12A R2	1/2" OD tube x 11-1/2" length, rough brass, 2 pack
☐	3-20A C	1/2" OD tube x 19-1/2" length, chrome plated
☐	3-20A CBT	1/2" OD tube x 19-1/2" length, chrome plated, plain package, bulk
☐	3-20A C2	1/2" OD tube x 19-1/2" length, chrome plated, 2 pack


This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.

BrassCraft®

1-**A/ 3-**A Copper Faucet Riser - One-Piece with Insert

Part Listing (con't):

☐	3-20A R	1/2" OD tube x 19-1/2" length, rough finish
☐	3-20A RBT	1/2" OD tube x 19-1/2" length, rough finish, plain package, bulk
☐	3-30A C	1/2" OD tube x 29-1/2" length, chrome plated
☐	3-30A RBT	1/2" OD tube x 29-1/2" length, rough finish, plain package, bulk
☐	3-30A C2	1/2" OD tube x 29-1/2" length, chrome plated, 2 pack
☐	3-30A R	1/2" OD tube x 29-1/2" length, rough finish
☐	3-36A C	1/2" OD tube x 35-1/2" length, chrome plated
☐	3-36A CBT	1/2" OD tube x 35-1/2" length, chrome plated, plain package, bulk
☐	3-36A C2	1/2" OD tube x 35-1/2" length, chrome plated, 2 pack
☐	3-36A R	1/2" OD tube x 35-1/2" length, rough brass
☐	3-36C C	1/2" OD tube x 35-1/2" length, cone washer & brass ring, chrome plated



PART DIMENSIONS (Inches)		
Model	DIM. A	DIA. B
1-12A	11.63	.38
1-12AS	11.63	.38
1-15A	14.63	.38
1-20A	19.63	.38
1-20A	19.63	.38
1-30A	29.63	.38
1-30AS	29.63	.38

PART DIMENSIONS (Inches)		
Model	DIM. A	DIA. B
1-36A	35.63	.38
1-36AS	35.63	.38
3-12A	11.56	.50
3-20A	19.56	.50
3-30A	29.56	.50
3-36A	35.56	.50
3-36C	35.56	.50

Listings & Certifications:

- IAPMO listed to ASME A112.18.1 - 2005/CSA B125.1-05 (File # 0645)
- UL listed to ANSI/NSF 61 Sec. 9 (File # MH25826)
- CSA approved to California Health & Safety Code and Vermont Bill S.152 (Project # 2174785)



This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.

BrassCraft