

For Residential and Commercial Applications

Job Name		Engineer / Architect	
Job Location		Wholesaler	
Submittal Date		Contractor	


OCR1B/ OCR3B & OCR09/ OCR19/ OCR39/ OCR49

Multi-Turn Angle Stop – Compression x Compression

Use: For use in potable water distribution systems. Not intended for recirculating water systems that produce continuous use temperatures above 115° F. For those applications, use BrassCraft KT series ball stops

Design Features:

- **Machined one-piece brass body** provides strength, durability and long-lasting performance
- **Oval knurled handle** provides a secure grip and smooth on/off operation
- **Easy-to-remove handle** with screw attachment protects accidental stop operation during rough-ins
- **Compliant Stops** available for California and Vermont “no-lead” requirements.



Operating Specifications:

Temperature: 40° - 140° F

Pressure: 125 psi maximum

Standard

MATERIAL SPECIFICATIONS	
Valve Body	C36000 brass
Stem	POM or C36000 brass*
Bib & Packing Washers	Nitrile or EPDM rubber
Packing Nut	C36000 brass
Handle	Plated metal, chrome-plated ABS or Lexan
Handle Screw	Zinc-plated steel
Compression Sleeve	C36000 brass
Compression Nut	C36000 brass, chrome plated

*Where specified

Compliant

MATERIAL SPECIFICATIONS	
Valve Body	Compliant brass
Stem	POM or Compliant brass*
Bib & Packing Washers	Nitrile or EPDM rubber
Packing Nut	Compliant brass
Handle	ABS, chrome plated
Handle Screw	Zinc-plated steel
Compression Sleeve	Compliant brass
Compression Nut	C36000 brass, chrome plated

Standard Part Listing:

- ☐ OCR1B C 3/8" Nom. Compression x 3/8" OD Compression, chrome plated
- ☐ OCR1B C1 3/8" Nom. Compression x 3/8" OD Compression, chrome plated, window box
- ☐ OCR1BZ C 3/8" Nom. Compression x 3/8" OD Compression, brass stem, chrome plated
- ☐ OCR3B C 3/8" Nom. Compression x 1/2" OD Compression, chrome plated
- ☐ OCR09 C 1/2" Nom. Compression x 1/4" OD Compression, chrome plated

This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.

BrassCraft®

OCR1B/ OCR3B & OCR09/ OCR19/ OCR39/ OCR49

Multi-Turn Angle Stop – Compression x Compression

Standard Part Listing (con't):

☐	OCR09 C1	1/2" Nom. Compression x 1/4" OD Compression, chrome plated, window box
☐	OCR09 CBT	1/2" Nom. Compression x 1/4" OD Compression, chrome plated, bulk
☐	OCR09 R	1/2" Nom. Compression x 1/4" OD Compression, rough brass
☐	OCR09Z C	1/2" Nom. Compression x 1/4" OD Compression, brass stem, chrome plated
☐	OCR09Z R	1/2" Nom. Compression x 1/4" OD Compression, brass stem, rough brass
☐	OCR19 C	1/2" Nom. Compression x 3/8" OD Compression, chrome plated
☐	OCR19 CBT	1/2" Nom. Compression x 3/8" OD Compression, chrome plated, bulk
☐	OCR19 C1	1/2" Nom. Compression x 3/8" OD Compression, chrome plated, window box
☐	OCR19 BZ	1/2" Nom. Compression x 3/8" OD Compression, oil rubbed bronze
☐	OCR19 NP	1/2" Nom. Compression x 3/8" OD Compression, polished nickel
☐	OCR19 NS	1/2" Nom. Compression x 3/8" OD Compression, satin nickel
☐	OCR19 P	1/2" Nom. Compression x 3/8" OD Compression, polished brass
☐	OCR19 R	1/2" Nom. Compression x 3/8" OD Compression, rough brass
☐	OCR19 RB	1/2" Nom. Compression x 3/8" OD Compression, rough brass, bulk
☐	OCR19 RBT	1/2" Nom. Compression x 3/8" OD Compression, rough brass, bulk
☐	OCR19 R1	1/2" Nom. Compression x 3/8" OD Compression, rough brass, window box
☐	OCR19K C	1/2" Nom. Compression x 3/8" OD Compression, plastic handle, chrome plated
☐	OCR19K CB	1/2" Nom. Compression x 3/8" OD Compression, plastic handle, chrome plated, bulk
☐	OCR19KL1 CB	1/2" Nom. Compression x 3/8" OD Compression, less outlet nut, plastic handle, chrome plated, bulk
☐	OCR19KL1 RB	1/2" Nom. Compression x 3/8" OD Compression, less outlet nut, plastic handle, rough brass, bulk
☐	OCR19L1 CB	1/2" Nom. Compression x 3/8" OD Compression, less outlet nut, chrome plated, bulk
☐	OCR19L1 RB	1/2" Nom. Compression x 3/8" OD Compression, less outlet nut, rough brass, bulk
☐	OCR19L4 C100T	1/2" Nom. Compression x 3/8" OD Compression, less inlet nut, chrome plated, bulk
☐	OCR19P C	1/2" Nom. Compression x 3/8" OD Compression, less handle, handle screw included, chrome plated
☐	OCR19P R	1/2" Nom. Compression x 3/8" OD Compression, less handle, handle screw included, rough brass
☐	OCR19PX C	1/2" Nom. Compression x 3/8" OD Compression, PEX insert, chrome plated
☐	OCR19PX R	1/2" Nom. Compression x 3/8" OD Compression, PEX insert, rough brass
☐	OCR19T CB	1/2" Nom. Compression x 3/8" OD Compression, chrome plated, no tray, bulk
☐	OCR19Z C	1/2" Nom. Compression x 3/8" OD Compression, brass stem, chrome plated
☐	OCR19Z R	1/2" Nom. Compression x 3/8" OD Compression, brass stem, rough brass
☐	OCR29 C	1/2" Nom. Compression x 7/16" OD Compression, chrome plated
☐	OCR29 C1	1/2" Nom. Compression x 7/16" OD Compression, chrome plated, window box
☐	OCR29 R	1/2" Nom. Compression x 7/16" OD Compression, rough brass
☐	OCR29Z C	1/2" Nom. Compression x 7/16" OD Compression, brass stem, chrome plated
☐	OCR39 C	1/2" Nom. Compression x 1/2" OD Compression, chrome plated
☐	OCR39 CBT	1/2" Nom. Compression x 1/2" OD Compression, chrome plated, bulk
☐	OCR39 C1	1/2" Nom. Compression x 1/2" OD Compression, chrome plated, window box
☐	OCR39 R	1/2" Nom. Compression x 1/2" OD Compression, rough brass
☐	OCR39Z C	1/2" Nom. Compression x 1/2" OD Compression, brass stem, chrome plated
☐	OCR49 C	1/2" Nom. Compression x 5/8" OD Compression, chrome plated
☐	OCR49Z C	1/2" Nom. Compression x 5/8" OD Compression, brass stem, chrome plated

Compliant Part Listing:

☐	OCR09X C	1/2" Nom. Compression x 1/4" OD Compression, chrome plated
--------------------------	----------	--


This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.

BrassCraft®

OCR1B/ OCR3B & OCR09/ OCR19/ OCR39/ OCR49 Multi-Turn Angle Stop – Compression x Compression

Compliant Part Listing (con't):

☐	OCR09X C1	1/2" Nom. Compression x 1/4" OD Compression, chrome plated, window box
☐	OCR09X R	1/2" Nom. Compression x 1/4" OD Compression, rough brass
☐	OCR19X C	1/2" Nom. Compression x 3/8" OD Compression, chrome plated
☐	OCR19X C1	1/2" Nom. Compression x 3/8" OD Compression, chrome plated, window box
☐	OCR19X R	1/2" Nom. Compression x 3/8" OD Compression, rough brass
☐	OCR19X R1	1/2" Nom. Compression x 3/8" OD Compression, rough brass, window box
☐	OCR19L1X CB	1/2" Nom. Compression x 3/8" OD Compression, less outlet nut, chrome plated, bulk
☐	OCR19L1X RB	1/2" Nom. Compression x 3/8" OD Compression, less outlet nut, rough brass, bulk
☐	OCR19L4X C100T	1/2" Nom. Compression x 3/8" OD Compression, less inlet nut, chrome plated, 100 per case
☐	OCR19PXX C	1/2" Nom. Compression x 3/8" OD Compression, PEX insert, chrome plated
☐	OCR19ZX C	1/2" Nom. Compression x 3/8" OD Compression, brass stem, chrome plated
☐	OCR29X C	1/2" Nom. Compression x 7/16" OD Compression, chrome plated
☐	OCR29X C1	1/2" Nom. Compression x 7/16" OD Compression, chrome plated, window box
☐	OCR29X R	1/2" Nom. Compression x 7/16" OD Compression, rough brass
☐	OCR39X C	1/2" Nom. Compression x 1/2" OD Compression, chrome plated
☐	OCR39X CBT	1/2" Nom. Compression x 1/2" OD Compression, chrome plated, bulk
☐	OCR39X C1	1/2" Nom. Compression x 1/2" OD Compression, chrome plated, window box
☐	OCR39X R	1/2" Nom. Compression x 1/2" OD Compression, rough brass



PART DIMENSIONS (Inches)		
Model	Dim. A	Dim. B
OCR1B	1.02	2.75
OCR3B	1.11	2.75
OCR09	1.02	2.75
OCR19	1.02	2.75
OCR19K	1.02	2.75
OCR19L1	.74	2.75
OCR19L4	1.02	2.41
OCR19P	1.02	2.41
OCR19PX	1.02	2.41
OCR29	1.18	2.85
OCR39	1.11	2.85
OCR49	1.18	2.97

Listings & Certifications:

- IAPMO listed to ASME A112.18.1-05 / CSA B125.1-05 (File # 0645)
- CSA listed to ASME A112.18.1-05 / CSA B125.1-05 (File # 204593)
- UL listed to ANSI/NSF 61 Sec. 9 (File # MH25826)
- CSA approved to AB1953 (Project # 2174785)



Drinking Water
System Component
ANSI/NSF 61
59FL



This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.

BrassCraft