

Project_

SPECIFICATIONS

The Air Gap Drain shall primarily provide a physical separation between the relief valve discharge and the drainage system.

The device shall be able to funnel minor relief valve discharges caused by supply pressure fluctuations or minor check valve fouling.

It shall be designed to provide easy installation to drain line and reduced pressure principle backflow preventer.

All parts shall be corrosion resistant and shall be **100% made in the USA**.

The Air Gap Drain shall be manufactured by **CONBRACO INDUSTRIES, INC.,** Matthews, North Carolina.

FEATURES

- Corrosion Resistant
- Easy to install
- Reduces water splashing
- Economical

MATERIALS


Body

40-200-XA, X1, X2 – Cast Brass 40-200-X3 – FDA Approved epoxy-coated carbon steel

REGISTERE


Fasteners

300 Series Stainless Steel



Air Gap Drain


40-200 & MODEL RP (4S-200) BACKFLOW PREVENTERS




DIMENSIONS (in.) - WEIGHTS (lbs.)

	1.00				
R.P. SIZE	AGD				
40 SERIES	MODEL NO.	А	В	С	WT./100
1/4", 3/8", 1/2"	40-200-XA	8-7/16	5	1" NPT	230
3/4" & 1"	40-200-X1	9-1/2	5-1/8	1" NPT	340
1-1/4" - 2"	40-200-X1	11-1/4	5-1/8	1" NPT	340
2-1/2" & 3"	40-200-X2	19	9-7/8	2" NPT	1100
4"	40-200-X2	20	9-7/8	2" NPT	1100
6"	40-200-X2	21	9-7/8	2" NPT	1100
8"	40-200-X3	22-11/16	12-11/16	3" NPT	1245
10"	40-200-X3	25-11/16	12-11/16	3" NPT	1245

R.P. SIZE	AGD				
4S SERIES	MODEL NO.	А	В	С	WT./100
2-1/2" & 3"	40-200-X1	13-11/16	5-1/8	1" NPT	340
6"	40-200-X1	14-5/8	5-1/8	1" NPT	340
8" & 10"	40-200-X2	23-3/4	9-13/16	2" NPT	1100





 $1/4^{\circ} - 2^{\circ}$ (40-200)

BACKFLOW PRODUCTS DIVISION

Conbraco Industries, Inc. P.O. Box 247 Matthews, N.C. 28106 (704) 841-6000 FAX (704) 841-6020-USA PRINTED IN USA BFSS4000 www.conbraco.com 11/02