

Section GA

06/2000

Ford Curb Boxes




The Ford Meter Box Co., Inc. 775 Manchester Avenue, P.O. Box 443, Wabash, Indiana, USA 46992-0443
Telephone: 260/563-3171 FAX: 1-800-826-3487 Overseas FAX: 260/563-0167 <http://www.fordmeterbox.com>

Contents

	Page
Information	
Ford Arch Pattern and Minneapolis Pattern Curb Boxes	3
Ford Arch Pattern Curb Boxes	
Type HS Lid - Two Hole Style with 1" Upper Section	4
Type PS Lid - Plug Style with 1" Upper Section	4
Type PL Lid - Plug Style with 1-1/4" Upper Section	4
Ford Minneapolis Pattern Curb Boxes	
How to Choose the Proper Minneapolis Curb Box for Ford Curb Stops	5
Type HS Lid - Two Hole Style with 1" Upper Section	5
Type PS Lid - Plug Style with 1" Upper Section	5
Type PL Lid - Plug Style with 1-1/4" Upper Section	6
Type PL Lid - Plug Style with 1-1/2" Upper Section	6
Ford Curb Box Accessories	
Stationary Rods	7
Shut-off Rods	7
Parts for Ford Arch Pattern Curb Boxes	7
Parts for Minneapolis Pattern Curb Boxes	7
Warranty	8

Standard Packaging: Ford Curb Boxes are banded on pallets — well protected and easy to handle.




Information

Ford Arch Pattern and Minneapolis Pattern Curb Boxes

Arch Base

Extension Type Curb Boxes with Arch Pattern Base

For use with Curb Stops in sizes 1" and smaller. These boxes are also adaptable to 1-1/4", 1-1/2" and 2" Curb Stops by using the CB-7 Curb Box Base (shown below). All Boxes are heavily coated with Asphalt-base paint. Lids and bases are cast iron — upper sections are steel pipe.



Curb Box Base


Fits over 1-1/4", 1-1/2" and 2" Ball Valve Curb Stops. Inserts into any standard Curb Box having 2-7/8" or larger I.D. at bottom. Increases overall height of curb box by 5". Cast Iron. Catalog Number: CB-7



Minneapolis Base

Extension Type Curb Boxes for Minneapolis Pattern Curb Stops


For use with Curb Stops in sizes 3/4" through 2". All Boxes are heavily coated with asphalt-base paint. Cast iron lids and bases — steel pipe upper sections.



Ford Arch Pattern Curb Boxes

Arch Pattern Curb Boxes with 1" Upper Section

Stationary Rod Included



Type HS Lid - 2 hole style
"Erie Pattern"

Type PS Lid - Plug style
with standard pentagon bolt

TYPE HS LID - TWO HOLE STYLE

CATALOG NUMBER	EXTENDED LENGTH	ROD LENGTH	APPROX. WT. LBS.
EA1-30-40-18R	3'	18"	16.0
EA1-35-40-24R	3-1/2'	24"	17.0
EA1-40-40-30R	4'	30"	19.0
EA1-45-40-36R	4-1/2'	36"	20.0
EA1-50-40-42R	5'	42"	21.0
EA1-55-40-48R	5-1/2'	48"	22.0
EA1-60-40-54R	6'	54"	24.0
EA1-65-40-60R	6-1/2'	60"	25.0
EA1-70-40-66R	7'	66"	26.0
EA1-75-40-72R	7-1/2'	72"	27.0
EA1-80-40-78R	8'	78"	28.0

TYPE PS LID - PLUG STYLE

CATALOG NUMBER	EXTENDED LENGTH	ROD LENGTH	APPROX. WT. LBS.
EA2-30-40-18R	3'	18"	16.0
EA2-35-40-24R	3-1/2'	24"	17.0
EA2-40-40-30R	4'	30"	19.0
EA2-45-40-36R	4-1/2'	36"	20.0
EA2-50-40-42R	5'	42"	21.0
EA2-55-40-48R	5-1/2'	48"	22.0
EA2-60-40-54R	6'	54"	24.0
EA2-65-40-60R	6-1/2'	60"	25.0
EA2-70-40-66R	7'	66"	26.0
EA2-75-40-72R	7-1/2'	72"	27.0
EA2-80-40-78R	8'	78"	28.0

Arch Pattern Curb Boxes with 1-1/4" Upper Section

Stationary Rod Not Included



Type PL Lid - Plug style
with standard pentagon bolt

TYPE PL LID - PLUG STYLE

CATALOG NUMBER	EXTENDED LENGTH	APPROX. WT. LBS.
EA2-30-50	3'	14.0
EA2-35-50	3-1/2'	15.0
EA2-40-50	4'	16.0
EA2-45-50	4-1/2'	17.0
EA2-50-50	5'	18.0
EA2-55-50	5-1/2'	19.0
EA2-60-50	6'	20.0
EA2-65-50	6-1/2'	21.0
EA2-70-50	7'	22.0
EA2-75-50	7-1/2'	23.0
EA2-80-50	8'	24.0

Ford Minneapolis Pattern Curb Boxes

Minneapolis Pattern Curb Boxes with 1" Upper Section

Stationary Rod **Included**



Type HS Lid - 2 hole style
"Erie Pattern"



Type PS Lid - Plug style
with standard pentagon bolt

HOW TO CHOOSE THE PROPER MINNEAPOLIS PATTERN CURB BOX FOR FORD CURB STOPS	
DESCRIPTION OF CURB STOP	BASE THREAD SIZE
"BH", 3/4" and 1" Ball Curb Stops	1-1/2"
1-1/4", 1-1/2" and 2" Ball Curb Stops	2"
3/4" "Z" Type Inverted Key Curb Stops	1-1/2"
1" "Z" Type Inverted Key Curb Stops	2"

TYPE HS LID - TWO HOLE STYLE BASE TAPPED 1-1/2"

CATALOG NUMBER	EXTENDED LENGTH	ROD LENGTH	APPROX. WT. LBS.
EM1-30-46-18R	3'	18"	16.0
EM1-35-46-24R	3-1/2'	24"	17.0
EM1-40-46-30R	4'	30"	19.0
EM1-45-46-36R	4-1/2'	36"	20.0
EM1-50-46-42R	5'	42"	21.0
EM1-55-46-48R	5-1/2'	48"	22.0
EM1-60-46-54R	6'	54"	24.0
EM1-65-46-60R	6-1/2'	60"	25.0
EM1-70-46-66R	7'	66"	26.0
EM1-75-46-72R	7-1/2'	72"	27.0
EM1-80-46-78R	8'	78"	28.0

TYPE HS LID - TWO HOLE STYLE BASE TAPPED 2"

CATALOG NUMBER	EXTENDED LENGTH	ROD LENGTH	APPROX. WT. LBS.
EM1-30-47-18R	3'	18"	16.0
EM1-35-47-24R	3-1/2'	24"	17.0
EM1-40-47-30R	4'	30"	19.0
EM1-45-47-36R	4-1/2'	36"	20.0
EM1-50-47-42R	5'	42"	21.0
EM1-55-47-48R	5-1/2'	48"	22.0
EM1-60-47-54R	6'	54"	24.0
EM1-65-47-60R	6-1/2'	60"	25.0
EM1-70-47-66R	7'	66"	26.0
EM1-75-47-72R	7-1/2'	72"	27.0
EM1-80-47-78R	8'	78"	28.0

TYPE PS LID - PLUG STYLE BASE TAPPED 1-1/2"

CATALOG NUMBER	EXTENDED LENGTH	ROD LENGTH	APPROX. WT. LBS.
EM2-30-46-18R	3'	18"	16.0
EM2-35-46-24R	3-1/2'	24"	17.0
EM2-40-46-30R	4'	30"	19.0
EM2-45-46-36R	4-1/2'	36"	20.0
EM2-50-46-42R	5'	42"	21.0
EM2-55-46-48R	5-1/2'	48"	22.0
EM2-60-46-54R	6'	54"	24.0
EM2-65-46-60R	6-1/2'	60"	25.0
EM2-70-46-66R	7'	66"	26.0
EM2-75-46-72R	7-1/2'	72"	27.0
EM2-80-46-78R	8'	78"	28.0

TYPE PS LID - PLUG STYLE BASE TAPPED 2"

CATALOG NUMBER	EXTENDED LENGTH	ROD LENGTH	APPROX. WT. LBS.
EM2-30-47-18R	3'	18"	16.0
EM2-35-47-24R	3-1/2'	24"	17.0
EM2-40-47-30R	4'	30"	19.0
EM2-45-47-36R	4-1/2'	36"	20.0
EM2-50-47-42R	5'	42"	21.0
EM2-55-47-48R	5-1/2'	48"	22.0
EM2-60-47-54R	6'	54"	24.0
EM2-65-47-60R	6-1/2'	60"	25.0
EM2-70-47-66R	7'	66"	26.0
EM2-75-47-72R	7-1/2'	72"	27.0
EM2-80-47-78R	8'	78"	28.0

Ford Minneapolis Pattern Curb Boxes

Minneapolis Pattern Curb Boxes with 1-1/4" Upper Section

Stationary Rod Not Included



Type PL Lid - Plug style
with standard pentagon bolt



Type PL Lid - Plug style
with standard pentagon bolt

TYPE PL LID - PLUG STYLE BASE TAPPED 1-1/2"

CATALOG NUMBER	EXTENDED LENGTH	APPROX. Wt. LBS.
EM2-30-56	3'	14.0
EM2-35-56	3-1/2'	15.0
EM2-40-56	4'	16.0
EM2-45-56	4-1/2'	17.0
EM2-50-56	5'	18.0
EM2-55-56	5-1/2'	19.0
EM2-60-56	6'	20.0
EM2-65-56	6-1/2'	21.0
EM2-70-56	7'	22.0
EM2-75-56	7-1/2'	23.0
EM2-80-56	8'	24.0

TYPE PL LID - PLUG STYLE BASE TAPPED 2"

CATALOG NUMBER	EXTENDED LENGTH	APPROX. Wt. LBS.
EM2-30-57	3'	14.0
EM2-35-57	3-1/2'	15.0
EM2-40-57	4'	16.0
EM2-45-57	4-1/2'	17.0
EM2-50-57	5'	18.0
EM2-55-57	5-1/2'	19.0
EM2-60-57	6'	20.0
EM2-65-57	6-1/2'	21.0
EM2-70-57	7'	22.0
EM2-75-57	7-1/2'	23.0
EM2-80-57	8'	24.0

Minneapolis Pattern Curb Boxes with 1-1/2" Upper Section

Stationary Rod Not Included



Type PXL Lid - Plug style
with standard pentagon bolt

TYPE PL LID - PLUG STYLE BASE TAPPED 2"

CATALOG NUMBER	EXTENDED LENGTH	APPROX. Wt. LBS.
EM2-35-67	3-1/2'	16.0
EM2-40-67	4'	17.0
EM2-45-67	4-1/2'	19.0
EM2-50-67	5'	20.0
EM2-55-67	5-1/2'	21.0
EM2-60-67	6'	22.0
EM2-65-67	6-1/2'	23.0
EM2-70-67	7'	24.0
EM2-75-67	7-1/2'	25.0
EM2-80-67	8'	26.0

Ford Curb Box Accessories

Stationary Rod


(Attach to Curb Stop with Cotter Pin)

CATALOG NUMBER	ROD LENGTH	APPROX. WT. LBS.
ROD-18	18"	-
ROD-24	24"	-
ROD-30	30"	-
ROD-36	36"	-
ROD-42	42"	-
ROD-48	48"	-
ROD-54	54"	-
ROD-60	60"	-
ROD-66	66"	-
ROD-72	72"	-
ROD-78	78"	-

Shut-off Rods

CATALOG NUMBER	ROD LENGTH	APPROX. WT. LBS.
SROD-2	2'	-
SROD-3	3'	-
SROD-4	4'	-
SROD-5	5'	-
SROD-6	6'	-
SROD-8	8'	-
SROD-9	9'	-
SROD-10	10'	-

Note: Keys for plug style (standard pentagon) bolt are listed in Catalog Section D.




Parts for Arch Pattern Boxes

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.
ITEMS FOR 1" UPPER SECTION STYLE		
PS-LID	Plug Type PS lid, complete	-
PS-LID-SEWER	Plug Type PS lid, complete w/ Sewer lettering	-
P-PSL	1" IPS Plug only, Type PS lid	-
HS-LID	Erie Type 2 hole HS lid, complete	-
HS-LID-SEWER	Erie Type 2 hole HS lid, complete w/ Sewer lettering	-
SRK	22" Key for Stationary Rod	-
ITEMS FOR 1-1/4" UPPER SECTION STYLE		
PL-LID	Plug Type PL lid, complete	-
PL-LID-SEWER	Plug Type PL lid, complete w/ Sewer lettering	-
P-PLL	1-1/4" IPS Plug only, Type PL lid	-
RL	1-1/4" Repair Lid for PL Type	-

Parts for Minneapolis Pattern Boxes

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.
ITEMS FOR 1" UPPER SECTION STYLE		
PS-LID	Plug Type PS lid, complete	-
PS-LID-SEWER	Plug Type PS lid, complete w/ Sewer lettering	-
P-PSL	1" IPS Plug only, Type PS lid	-
HS-LID	Erie Type 2 hole HS lid, complete	-
HS-LID-SEWER	Erie Type 2 hole HS lid, complete w/ Sewer lettering	-
CBB	2"x1-1/2" Cast Iron Bushing	-
SRK	22" Key for Stationary Rod	-
ITEMS FOR 1-1/4" UPPER SECTION STYLE		
PL-LID	Plug Type PL lid, complete	-
PL-LID-SEWER	Plug Type PL lid, complete w/ Sewer lettering	-
P-PLL	1-1/4" IPS Plug only, Type PL lid	-
RL	1-1/4" Repair Lid for PL Type	-
CBB	2"x1-1/2" Cast Iron Bushing	-
ITEMS FOR 1-1/2" UPPER SECTION		
PXL-LID	Plug Type PXL lid, complete	-
P-PXL	1-1/2" IPS Plug only, Type PXL lid	-
CBB	2"x1-1/2" Cast Iron Bushing	-



Section GA

Ford Curb Boxes

Warranty

All merchandise is warranted to be free from defects in materials and factory workmanship. We will provide, free of charge, new products in equal quantities for any that prove defective within one year from date of shipment from our factory. Manufacturer shall not be liable for any loss, damage, or injury, direct or consequential, arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatever in connection therewith. No claims for labor or consequential damage will be allowed. The foregoing may not be changed except by agreement signed by an officer of the manufacturer.

Please Note:

The Ford Meter Box Company considers the information in this catalog to be correct at the time of publication. Items and option availability, including specifications, are subject to change without notice. Please verify that your product information is current.



The Ford Meter Box Co., Inc. 775 Manchester Avenue, P.O. Box 443, Wabash, Indiana, USA 46992-0443
Telephone: 260/563-3171 FAX: 1-800-826-3487 Overseas FAX: 260/563-0167 <http://www.fordmeterbox.com>