

FIBERGLASS, SMALL - Hot Box ®



We categorize our enclosures intended for BF installations of ¾" through 3" as small fiberglass enclosures. There are two choices in the small fiberglass category: flip-top fiberglass (HOT BOX® or LOK BOX™) & drop-over fiberglass (EZ BOX®) (flip-tops can also be constructed out of aluminum – units .75 through 2ST involve a nominal upcharge to the fiberglass price - at this time, larger units' pricing involves no upcharge). Insulation is froth-injected polyisocyanurate foam (structural unicellular insulation) – 1" to 1 ½" thick to provide a minimum R-value of 8. All insulated HOT BOX® products are designed to protect to -30 F when installed with heat.


- Standard products utilize smooth exterior styling, finished with beige colored gel coat to achieve a "yacht quality" finish
- Modified enclosures are readily available - contact our design department
- All modified enclosures have rough "industrial" exteriors
- All Hot Box ® products are priced and furnished with heat (unless specified otherwise)
- EZ BOX® products are priced and furnished without heat (unless specified otherwise)
- All standard-sized, molded, fiberglass enclosures (flip-tops & EZs) are now available without insulation. See chart below for details on the new NI (non-insulated) line.




LB1 – Flip-top fiberglass enclosure



EZ.75 – Drop-over fiberglass enclosure



Standard Flip-top fiberglass enclosure



Ez Box fiberglass enclosure

HOT BOX® • Small Insulated Fiberglass Flip-Top Style Enclosures • ASSE 1060 Certified

Unit No.	Heat	Inside Dimensions	Pad Size	Shipping Wt.
HB.75	30W	19"L x 11"W x 22"H	28 x 20	30lbs.
HB1	60W	27"L x 13"W x 23"H	36 x 22	35lbs.
HB1T	60W	27"L x 13"W x 35"H	36 x 22	50lbs.
HB1.5	60W	33"L x 21"W x 24"H	44 x 32	65lbs.
HB2	90W	39"L x 13"W x 28"H	50 x 24	50lbs.
HB2S	90W	47"L x 13"W x 28"H	58 x 24	85lbs.
HB2T	90W	39"L x 13"W x 36"H	50 x 24	60lbs.
HB2ST	90W	47"L x 13"W x 36"H	58 x 24	95lbs.
HB3N	1000W	70"L x 26"W x 45"H	82 x 38	325lbs.
HB3NS	1500W	83"L x 26"W x 45"H	95 x 38	340lbs.
HB3E	1500W	70"L x 26"W x 55"H	82 x 38	385lbs.
HB3ES	1500W	83"L x 26"W x 55"H	95 x 38	425lbs.

HOT BOX® • Small Non-Insulated Fiberglass Flip-Top Style Enclosures

Unit No.	Inside Dimensions	Pad Size	Shipping Wt.
LBNI.75	21"L x 13"W x 23"H	28 x 20	25lbs.
LBNI1	29"L x 15"W x 24"H	36 x 22	30lbs.
LBNI1T	29"L x 15"W x 36"H	36 x 22	45lbs.
LBNI1.5	35"L x 23"W x 25"H	44 x 32	50lbs.
LBNI2	41"L x 15"W x 29"H	50 x 24	45lbs.
LBNI2T	41"L x 15"W x 37"H	50 x 24	52lbs.
LBNI3N	72"L x 28"W x 46"H	82 x 38	280lbs.

EZ BOX® Insulated Drop-Over Enclosures • ASSE 1060 Certified

Unit No.	Length	Width	Height	Shipping Wt.	Pad Size

Ez.75	20"	6.5"	22"	27#	16 x 32
Ez1	27"	14"	26"	35#	25 x 38
Ez2	38.5"	12"	28"	41#	22 x 48
Ez3	70"	26"	45"	185#	38 x 82
Ez3000	45"	35"	35"	150#	57 x 47
Ez4000	53"	44"	44"	300#	65 x 56

EZ BOX® Non-Insulated Drop-Over Enclosures

Unit No.	Length	Width	Height	Shipping Wt.	Pad Size
EzN.75	20"	6.5"	22"	22#	16 x 32
EzN1	27"	14"	26"	30#	25 x 38
EzN2	40.5"	14"	29"	37#	22 x 48
EzN3	73"	29"	46"	170#	38 x 82
EzN3000	48"	38"	36"	135#	57 x 47
EzN4000	56"	47"	46"	270#	65 x 56

HOT BOX ® "THE ENGINEERED ENCLOSURE"®

250 Lane Ave. N., Jacksonville, Florida 32254-2815

[Questions/Comments/Suggestions about this site?](#)

[Contact the Website Administrator.](#)

Phone (904) 786-0204 - Toll Free (800) 736-0238

Fax (904) 783-6965

US Patent Nos. 33,523 & DES 412,366

MEMBERS OF: AWWA, ABPA, ASPE, ASSE, AFSA, NFSA & USC FOUNDATION

All contents ©2000 Hot Box, Inc. - All rights reserved.