
2 - 0 - 1

# PRICE LIST





#### Policies & Procedures

Standard Payment Terms: 2% 10th prox net 60.

Minimum Order: \$100 net. This minimum applies to whole goods and parts orders only and not to orders for repairs

or literature.

Late Charge: All invoices not paid by the net due date will be subject to a service charge of the lesser of 11/2%

per month (18% annual percentage rate) or the highest interest rate then permitted by applicable

law.

Credit Terms: Dating terms, as well as all open account credit terms, are made available to those customers

which the company's credit department determines to be credit worthy. Customers may participate in buying programs or enjoy open account terms only so long as such credit worthiness, as determined by the company, is maintained. If such credit worthiness is not maintained, all outstanding customer obligations under open account or dating terms shall, at the company's option and upon

written notice to the customer, become immediately due and payable in full.

Freight Terms: Irritrol Systems will ship freight prepaid any orders valued at a minimum of \$1,000 net. Dura-Pol

polyethylene hose may be used to fulfill the net qualifier for prepaid freight on a given order.

**Special Order Items:** Special order items may not be returned for credit.

Claims for Shortage: All claims for shortage should be made in writing to our Order Services Department within 15 days

of receipt of goods.

**Defective Goods**To return defective products, please obtain a Return Authorization Number from the Order Services

**Return Policy:** Department, and submit it with the returned goods.

**Product Return Policy:** Products returned (other than defective) must be preapproved by Irritrol Systems management.

For approval, contact your local Irritrol Systems District Sales Manager. A 30% restocking charge

will be applied.

Technical

Assistance: 1-800-634-TURF

(8873)

Orders by FAX: 1-800-883-5432

Order Services: 1-800-883-1234

# TABLE OF CONTENTS

al • HR-6100 Series • 304/306 • 446/476 • 508/512 • Rain Dial al Plus • KwikStart Remote Control System • Total Control s Series • Dial Series • IBOC Plus Series  0 • Controller Accessories  eries • 311A • 2400/2600 Series  adapters • 2500 Series • 205 Series • 200B Series  ries (Century PLUS) • 700 Series (UltraFlow)  eg • Valve Accessories	
s Series • Dial Series • IBOC Plus Series  0 • Controller Accessories  eries • 311A • 2400/2600 Series  dapters • 2500 Series • 205 Series • 200B Series  ries (Century PLUS) • 700 Series (UltraFlow)  eg • Valve Accessories	
eries • 311A • 2400/2600 Series  Adapters • 2500 Series • 205 Series • 200B Series  ries (Century PLUS) • 700 Series (UltraFlow)  eg • Valve Accessories	
eries • 311A • 2400/2600 Series Adapters • 2500 Series • 205 Series • 200B Series ries (Century PLUS) • 700 Series (UltraFlow) eg • Valve Accessories	
eries • 311A • 2400/2600 Series  Adapters • 2500 Series • 205 Series • 200B Series  ries (Century PLUS) • 700 Series (UltraFlow)  eg • Valve Accessories	
eries • 311A • 2400/2600 Series  Adapters • 2500 Series • 205 Series • 200B Series  ries (Century PLUS) • 700 Series (UltraFlow)  eg • Valve Accessories	
ries (Century PLUS) • 700 Series (UltraFlow)	
eg • Valve Accessories	
iits	
	11
ies Sprayheads	12
ariable Arc Nozzles	12
anopy Nozzles	13
ty Arc Canopy Nozzles	13
r and Shrub Adapters • Sprayhead Accessories • Flexible Pipe and Fittings	14
	es Sprayheads  ariable Arc Nozzles  anopy Nozzles  ty Arc Canopy Nozzles

MODEL	STD	GRS	LBS OZ	DESCRIPTION
NUMBER LIST	PKG	WT	(net each)	

#### SLIM DIAL" AND HR-6100 — HYBRID RESIDENTIAL CONTROLLERS

	SD6	73.00	10	25.0	2	8	6 station controller, two independent programs w/pump start circuit
SLIM DIAL™ SD6	HR-6100 HR-6100-1	140.00 153.00	6 6	25.0 25.0	4	0	6 station controller, dual program 6 station controller, dual program w/pump start circuit

#### 304/306 — MECHANICAL RESIDENTIAL CONTROLLERS

	304PRi 304PR 306PRi 306PR	129.00 155.00 155.00 172.00	10 10 10 10	39.0 35.0 39.0 35.0	3 3 3 3	12 6 12 6	4 station, indoor mount 4 station, outdoor mount 6 station, indoor mount 6 station, outdoor mount
304PRi							

#### 446/476 AND 508/512 — SLIDE SWITCH DUAL-PROGRAM RESIDENTIAL CONTROLLERS

	446PRi	158.00	10	28.0	2	12	6 station, indoor mount (day interval scheduling)
100/715 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	446PR	180.00	10	28.0	2	12	6 station, outdoor mount (day interval scheduling)
	476PRi	169.00	10	28.0	2	12	6 station, indoor mount (specific day and day interval scheduling)
446PRi	476PR	190.00	10	28.0	2	12	6 station, outdoor mount (specific day and day interval scheduling)
	508PRi	359.00	10	39.0	3	12	8 station, indoor mount
	508PR	399.00	10	39.0	3	12	8 station, outdoor mount
	512PRi	432.00	10	39.0	3	12	12 station, indoor mount
	512PR	475.00	10	39.0	3	12	12 station, outdoor mount

#### RAIN DIAL®— HYBRID 3-PROGRAM RESIDENTIAL CONTROLLERS

	DDCCC INT	150.00	0	25.0	,	0	C -t-ti idt	
	RD600-INT	150.00	6	25.0	4	U	6 station, indoor mount	
	RD600-EXT	180.00	6	32.0	5	0	6 station, outdoor mount	ς Ye <sub>∂</sub> ς
	RD900-INT	221.00	6	25.0	4	0	9 station, indoor mount	
Rota Dist X	RD900-EXT	246.00	6	32.0	5	0	9 station, outdoor mount	LOHIT SEARCH
MANAGE CHANGE SETTING	RD1200-INT	298.00	6	25.0	4	0	12 station, indoor mount	For units produced
RAIN DIAL® RD1200-INT Now with electrical surge protection	RD1200-EXT	328.00	6	32.0	5	0	12 station, outdoor mount	on or after 11/1/00.

MODEL		STD	GRS	LBS OZ	
NUMBER	LIST	PKG	WT	(net each)	DESCRIPTION

#### RAIN DIAL® PLUS — HYBRID 3-PROGRAM RESIDENTIAL CONTROLLERS

RD12PLUS-EXT  Now with electrical surge protection and KSR remote compatibility (as of 10/4/00)	RD6PLUS-INT RD6PLUS-EXT RD9PLUS-INT RD9PLUS-EXT RD12PLUS-INT RD12PLUS-FXT	162.00 191.00 236.00 261.00 313.00	6 6 6 6	25.0 32.0 25.0 32.0 25.0	4 5 4 5 4	0 0 0 0 0	6 station, indoor mount 6 station, outdoor mount 9 station, indoor mount 12 station, indoor mount 12 station, outdoor mount	For units produced
	RD12PLUS-INT RD12PLUS-EXT	313.00 343.00	6	32.0	5	0	12 station, indoor mount 12 station, outdoor mount	

### $\mathsf{KWIKSTART}^\mathsf{TM} - \mathsf{REMOTE}$ Control for the Rain Dial $^\mathsf{8}$ Plus Controller

	KSR-KIT	185.00	6	6.0	1	0	KwikStart™ remote control kit for Rain Dial Plus*
	KSR-T	75.00	1	.5	0	8	Transmitter**
inches inches	KSR-R	85.00	1	.3	0	5	Receiver**
	KSR-ADP	27.00	1	.1	0	2	Adapter**
	KSR-CA03	9.95	1	.1	0	2	Standard 3' cable assembly**
KWIKSTART™ KSR-R, KSR-T Available Spring 2001	KSR-CA25	29.95	1	.2	0	4	Standard 25' cable assembly

<sup>\*</sup> KwikStart\*\* remote control option compatible only with Rain Dial\* Plus controllers produced on or after October 4, 2000 (100400 date code).


\*\* Included in KSR-KIT. All items also available separately.

#### TOTAL CONTROL®— HYBRID 4-PROGRAM COMMERCIAL CONTROLLERS

	TO 0111 D				_			
t ou our max	TC-6IN-B	225.00	6	30.0	5	0	6 station, indoor mount	
TOTAL CONTROL	TC-9IN-B	318.00	6	30.0	5	0	9 station, indoor mount	
NAMPLE PAR VICE AND PRODUCE A CONTROL OF THE PAR VICE AND PRODUCE A CONTROL OF THE PAR VICE AND	TC-12IN-B	332.00	6	30.0	5	0	12 station, indoor mount	
PROGRAMETRIES AND PROGRAMETRIE	TC-6EX-B	270.00	6	34.0	5	8	6 station, outdoor mount	
TC - 158	TC-9EX-B	334.00	6	34.0	5	8	9 station, outdoor mount	
TOTAL CONTROL® TC-15EX-B	TC-12EX-B	361.00	6	34.0	5	8	12 station, outdoor mount	
Now with heavy-duty electrical surge protection	TC-15EX-B	421.00	6	34.0	5	8	15 station, outdoor mount For units produced	
	TC-18EX-B	506.00	6	34.0	5	8	18 station, outdoor mount on or after 10/27/00.	
	TC-24EX-B	660.00	6	34.0	5	8	24 station, outdoor mount	

MODEL		STD	GRS	LBS OZ	
NUMBER	LIST	PKG	WT	(net each)	DESCRIPTION

#### MC PLUS SERIES - SOLID STATE MULTIPLE-PROGRAM COMMERCIAL CONTROLLERS



#### DIAL SERIES - HYBRID DUAL-PROGRAM COMMERCIAL CONTROLLERS

DIAL-18 ÕÕ ÕÕ	DIAL-7B	445.00	3	34.0	10	10	7 station, wall mount controller, fits P-2B pedestal
	DIAL-11B	495.00	3	34.0	10	10	11 station, wall mount controller, fits P-2B pedestal
irritrəl	DIAL-16B	635.00	3	34.0	10	10	16 station, wall mount controller, fits P-2B pedestal
DIAL-18B	DIAL-18B	938.00	1	18.0	17	0	18 station, wall mount controller, fits P-6B pedestal
	DIAL-24B	1,250.00	1	18.0	17	0	24 station, wall mount controller, fits P-6B pedestal
	DIAL-36B	1,729.00	1	18.0	17	0	36 station, wall mount controller, fits P-6B pedestal

#### IBOC PLUS SERIES - BATTERY OPERATED COMMERCIAL CONTROLLERS

//BOC plus	IBOC-4PLUS	887.00	1	11.0	10	0	4 station, battery controller, fits P-2B pedestal
000	IBOC-8PLUS	1,059.00	1	11.0	10	0	8 station, battery controller, fits P-2B pedestal
Irritrol	IBOC-12PLUS	1,199.00	1	11.0	10	0	12 station, battery controller, fits P-2B pedestal
IBOC-4PLUS							

MODEL		STD	GRS	LBS OZ	
NUMBER	LIST	PKG	WT	(net each)	DESCRIPTION

#### IBOC100 — BATTERY-POWERED VALVE CONTROLLER

	IBOC-100	129.95	10	5.0	0	8	1 station, outdoor controller
(Irritrol	VA12	14.95	1	.05	0	1	Adapter for Irritrol valve*
	VA15	14.95	1	.05	0	1	Adapter for Rain Bird DV valve <sup>†</sup>
100	VA20	14.95	1	.05	0	1	Adapter for Nelson valve <sup>†</sup>
0000	BAT-10	11.95	1	.1	0	2	Battery pack for IBOC100
IBOC-100 Available Spring 2001							

<sup>†</sup> Rain Bird is a registered trademark of Rain Bird Sprinkler Mfg. Corporation. Nelson is a registered trademark of L.R. Nelson Corporation. \* Included with IBOC100 and sold separately.

#### CONTROLLER PEDESTALS

0	P-2B	318.00	1	12.0	11	3	Standard pedestal for MC Plus -4, -6, -8, & -12 Standard pedestal for Dial -7, -11 & -16 Standard pedestal for IBOC Plus -4, -8, & -12
	P-6B	399.00	1	22.0	18	7	Standard pedestal for MC Plus -18, -24, -30, -36, & -42
							Standard pedestal for Dial -18, -24 & -36 Standard pedestal for all IBOC Series models
P-2B							

#### CONTROLLER ACCESSORIES\*\*

SPC-2 <sup>††</sup>	595.00	1	4.0	4	0	Solar Power Converter Kit for IBOC and IBOC Plus controllers
SA120	20.00	1	1.0	1	0	Surge arrester, 120 volt
E2002	61.00	1	1	0	.26	DC latching solenoid for Richdel, Hardie and Irritrol Systems valves

<sup>††</sup> New for 2001.

#### PUMP START RELAY

	SR-1	67.00	10	21.0	2	0	Pump starter relay with weather- resistant case
SR-1							

<sup>\*\*</sup>Special discount applies.

100	MO	DEL	STD	GRS	LBS OZ	
13	NUN	1BER LIST	PKG	WT	(net each)	DESCRIPTION

#### 2700 SERIES - ANTI-SIPHON RESIDENTIAL VALVES

	2711APR	21.00	20	25.0	1	2	¾" electric anti-siphon valve, flow control
	2713APR	23.00	20	28.0	1	5	1" electric anti-siphon valve, flow control
	2711DPR	21.00	20	22.0	1	0	¾" electric anti-siphon valve, flow control, threaded bonnet
	2713DPR	23.00	20	28.0	1	5	1" electric anti-siphon valve, flow control, threaded bonnet
2711APR	2706PR	15.00	20	18.0	0	11	¾" manual anti-siphon valve
	2709PR	17.00	20	23.0	0	14	1" manual anti-siphon valve

#### 311A SERIES — ANTI-SIPHON RESIDENTIAL VALVES

O <sub>A</sub>	311A75	37.00	24	35.0	1	5	¾" electric anti-siphon valve, flow control, internal bleed
	311A-1	38.50	24	37.0	1	6	1" electric anti-siphon valve, flow control, internal bleed
311A-1							

#### 2400/2600 SERIES — ELECTRIC GLOBE AND ANGLE RESIDENTIAL VALVES

Æ	2400S	21.50	20	17.0	0	13	1" electric globe valve, slip connection
	2400SF	23.50	20	17.0	0	13	1" electric globe valve, slip connection, flow control
	2400T	21.50	20	17.0	0	13	1" electric globe valve, NPT threads
	2400TF	23.50	20	17.0	0	13	1" electric globe valve, NPT threads, flow control
2400S	2400T-B*	21.50	20	17.0	0	13	1" electric globe valve, male x barb
	2400TF-B*	23.50	20	17.0	0	13	1" electric globe valve, male x barb, flow control
	2400T-M*	21.50	20	17.0	0	13	1" electric globe valve, male x male
	2400TF-M*	23.50	20	17.0	0	13	1" electric globe valve, male x male, flow control
	2600T	22.50	20	14.0	0	11	1" electric angle valve, NPT threads
	2600TF	24.50	20	14.0	0	11	1" electric angle valve, NPT threads, flow control
	2400-45	7.90					Wrench for removing the valve bonnet

<sup>\*</sup>Available Spring 2001.

MODEL STD GRS LBS OZ NUMBER LIST PKG WT (net each) DESCRIPTION	
--	--

#### ELECTRIC VALVE ADAPTERS

<b>⊘</b> \	2623DPR75	27.00	20	17.0	0	13	3/4" electric adapter, fits Champion® * brass valves
	2623DPR-1	29.00	20	18.0	0	14	1" electric adapter, fits Champion® * brass valves
	30075	32.00	24	15.0	0	9	¾" electric adapter, fits ¾" Champion® brass valves
300-1	300-1	36.00	24	15.0	0	9	1" electric adapter, fits 3/4" and 1" Irritrol Systems 311A Series and 1" Champion® brass valves

<sup>\*</sup> Champion is a registered trademark of Champion Irrigation Products.

#### 2500 SERIES - RESIDENTIAL VALVES

A	2500S	21.40	20	18.0	0	13	1" electric globe valve, slip connection
	2500SF	23.40	20	19.0	0	14	1" electric globe valve, slip connection, flow control
	2500T	21.40	20	18.0	0	13	1" electric globe valve, NPT threads
	2500TF	23.40	20	19.0	0	14	1" electric globe valve, NPT threads, flow control
2500T							

#### 205 SERIES - RESIDENTIAL VALVES


	205S	21.40	20	18.0	0	13	1" electric globe valve, slip connection
	205SF	23.40	20	19.0	0	14	1" electric globe valve, slip connection,
	0057	04.40	00	40.0	0	40	flow control
	205T	21.40	20	18.0	0	13	1" electric globe valve, NPT threads
205TF	205TF	23.40	20	19.0	0	14	1" electric globe valve, NPT threads, flow control
2051F							

#### 2008 SERIES — COMMERCIAL VALVES

<b>e</b> m	214B	42.00	10	16.0	1	7	1" electric globe/angle valve, NPT threads
	214B-NF	41.00	10	16.0	1	7	1" electric globe/angle valve, NPT threads, (non-flow)
	216B	66.50	10	19.0	1	13	1 ½" electric globe/angle valve, NPT threads
	216B-NF	65.50	10	19.0	1	13	1 ½" electric globe/angle valve, NPT threads, (non-flow)
216B	217B	96.00	10	27.0	2	9	2" electric globe/angle valve, NPT threads
	217B-NF	95.00	10	27.0	2	9	2" electric globe/angle valve, NPT threads, (non-flow)

	MODEL		STD	GRS	LBS OZ	
ú	NUMBER	LIST	PKG	WT	(net each)	DESCRIPTION

#### 100 SERIES (CENTURY PLUS) — COMMERCIAL VALVES



#### 700 SERIES (ULTRAFLOW) — COMMERCIAL VALVES

	700B75	27.00	12	15.0	0	9	¾" electric globe, UltraFlow, internal bleed
	700-1	67.00	24	20.0	0	12	1" electric globe, UltraFlow, internal bleed, flow control
	700-1.5	96.00	12	20.0	2	14	1 ½" electric globe, UltraFlow, internal bleed, flow control
	700-2	133.00	8	25.0	3	0	2" electric globe, UltraFlow, internal bleed, flow control
700-2	70075-LS	16.50	12	15.0	0	9	¾" electric globe, UltraFlow, internal bleed (less solenoid)
	700-1-LS	56.50	24	20.0	0	12	1" electric globe, UltraFlow, internal bleed, flow control (less solenoid)
	700-1.5-LS	85.50	12	20.0	2	14	1 ½" electric globe, UltraFlow, internal bleed, flow control (less solenoid)
	700-2-LS	123.00	8	25.0	3	0	2" electric globe, UltraFlow, internal bleed, flow control (less solenoid)

	MODEL NUMBER	LIST	STD PKG	GRS WT	LBS (net e		DESCRIPTION
	OMNIREG <sup>™</sup> —	Pressure	REGULA	ATORS			Muse of the second
	OMR-30	52.00	6	1	0	2	Modular regulator 5-30 psi (converts UltraFlow, Century, Century PLUS and 200B series valves to pressure regulating valves)
COMMETCE:	OMR-100	52.00	6	1	0	2	Modular regulator 5-100 psi (converts UltraFlow, Century, Century PLUS and 200B series valves to pressure regulating valves)
OMR-30	OMR-DS	9.50	1	.1	0	1	Downstream sensing kit (converts standard OmniReg™ modular regulator to downstream sensing configuration)


#### VALVE ACCESSORIES (PARTS DISCOUNT APPLIES)

	SPK-30	50.50	1				30 psi weather-proof gauge and regulator spring for Century and UltraFlow pressure regulating valves
	SPK-31	5.25	1				30 psi regulator spring for Century and UltraFlow pressure regulating valves
	SPK-100	50.50	1				100 psi weather-proof gauge and regulator spring for Century and UltraFlow pressure regulating valves
	SPK-101	5.25	1				100 psi regulator spring for Century and UltraFlow pressure regulating valves
	E2002	61.00	1	1	0	.26	DC latching solenoid for Richdel, Hardie and Irritrol Systems valves
	R811-24VACG	11.50	10				Solenoid, 24 VAC, .4 amp inrush, .2 amp holding for Richdel, Hardie and Irritrol Systems valves
	R606902	1.35	5				Bleed lever handle for 700 UltraFlow, 200B and Century valves
			I				

	MODEL NUMBER	LIST	STD PKG	GRS WT	LBS OZ (net each)	DESCRIPTION
v	ALVE KITS (P	'ARTS DIS	COUNT A	(PPLIES)	)	
S	SPK-HR1	15.50	24			Repair kit, HR1
5	SPK-100-1	20.60	24			Repair kit, 100 Series 1"
5	SPK-100-1.5	20.60	12			Repair kit, 100 Series 1 ½"
5	SPK-100-2	62.00	8			Repair kit, 100 Series 2"
5	SPK-100-3	72.00	4			Repair kit, 100 Series 3"
F	R100P1	20.00	24			Repair kit, Century PLUS 1"
F	R100P1.5	20.00	12			Repair kit, Century PLUS 1 ½"
F	R100P2	59.75	8			Repair kit, Century PLUS 2"
F	R100P3	71.50	4			Repair kit, Century PLUS 3"
5	SPK-70075	16.00	24			Repair kit, 700 Series (original) ¾"
5	SPK-700B75	17.50	24			Repair kit, 700 Series (UltraFlow) ¾"
5	SPK-700-1	20.60	24			Repair kit, 700 Series (UltraFlow) 1"
5	SPK-700-1.5	34.00	12			Repair kit, 700 Series (UltraFlow) 1 ½"
3	SPK-700-2	55.75	8			Repair kit, 700 Series (UltraFlow) 2"
H	HVC-KIT	6.50	1			Hydraulic valve conversion kit for Century and Century PLUS Series
F	RW60-KIT	12.50	10			Purple solenoid assembly 24 VAC, 60 Hz and warning tag to alert users to reclaimed water
F	R1572	6.95	5			Manual adapter (converts internal bleed electric valves to manual valves)


	MODEL NUMBER	LIST	STD PKG	GRS WT	LBS OZ (net each)		DESCRIPTION
	HS SERIES —	- SPRAYHE.	ADS				The state of the s
HS400	HS300 HS400 HS600 HS1200	2.15 2.50 8.50 11.50	100 50 50 25	17.7 11.2 16.0 13.3	0 0 0	2.8 3.4 5.0 8.2	3" pop-up sprinkler body for HSN nozzle 4" pop-up sprinkler body for HSN nozzle 6" pop-up sprinkler body for HSN nozzle with side inlet 12" pop-up sprinkler body for HSN nozzle with side inlet

#### MPR VARIABLE ARC NOZZLES - FOR HS SERIES SPRAYHEADS




700	MODEL		STD	GRS	LBS OZ	
100	NUMBER	LIST	PKG	WT	(net each)	DESCRIPTION

#### MPR CANOPY" NOZZLES - FOR HS SERIES SPRAYHEADS



#### SPECIALTY ARC CANOPY™ NOZZLES — FOR HS SERIES SPRAYHEADS



	MODEL NUMBER	LIST	STD. PKG.	DESCRIPTION
	BUBBLER AND	SHRUB A	ADAPTER	
USIO	533 HS100	1.00 .70	100/bag 25/bag	Adjustable flood bubbler  ½" NPT shrub adapter for HSN Series sprayhead nozzles
HS100	SPRAYHEAD A	CCESSORI	ES	The state of the s
HS00-CV	HS00-CV	.98	25/bag	Check valve for HS Series HS600 and HS1200 sprayheads
HS00-NP	HS00-NP	.85	50/bag	Non-potable water cover
	SWING PIPE A	ND FITTIN	IGS	
	EHD1295-010-D	22.50	100′	Flex pipe, ½", 100' Super Blue Flex™ (shrink-wrapped)
EHD1295-010-D	EHF1295-010-D	22.50	100′	Flex pipe, ½", 100' Super Blue Flex™ (shrink-wrapped) ships from Florida distribution center
	FFP-C FFP-T FFP-50EM	.40 .90 .40	50/bag 50/bag 50/bag	Barbed coupler Barbed tee ½" male x barb elbow
FFP-C	FFP-75EM	.40	50/bag	¾" male x barb elbow





5825 Jasmine Street Riverside, CA 92504

FAX ORDERS 1-800-883-5432

## TABLE OF CONTENTS

CONTRO	LLERS	
	Slim Dial • HR-6100 Series • 304/306 • 446/476 • 508/512 • Rain Dial	3
	Rain Dial Plus • KwikStart Remote Control System • Total Control	4
	MC Plus Series • Dial Series • IBOC Plus Series	5
	IBOC100 • Controller Accessories	6
VALVES		
	2700 Series • 311A • 2400/2600 Series	
	Valve Adapters • 2500 Series • 205 Series • 200B Series	8
	100 Series (Century PLUS) • 700 Series (UltraFlow)	
	OmniReg • Valve Accessories	10
	Valve Kits	11
SPRINKL	LERS	
	HS Series Sprayheads	12
	MPR Variable Arc Nozzles	12
	MPR Canopy Nozzles	13
	Specialty Arc Canopy Nozzles	13
	Bubbler and Shrub Adapters • Sprayhead Accessories • Flexible Pipe and Fittings	14