

H	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: left;"> SMITH® JAY R. SMITH MFG. CO.® DIVISION OF SMITH INDUSTRIES, INC. POST OFFICE BOX 3237 MONTGOMERY, ALABAMA 36109-0237 (USA) TEL: 334-277-8520 FAX: 334-272-7396 www.jrsmith.com </div> <div style="text-align: center;"> ASPE <small>AMERICAN SOCIETY OF PROFESSIONAL ENGINEERS</small> MEMBER OF: </div> <div style="text-align: center;"> PDH <small>PROFESSIONAL DEVELOPMENT HOURS</small> </div> </div>				LOCATION 																																																					
	<h2 style="margin: 0;">SANI-CEPTOR® ACID RESISTANT COATED FLOOR & INDIRECT WASTE DRAINS</h2>																																																									
DRAWING NUMBER S3110	SIZE A	SCALE: NONE	DATE: 9-19-85	APPROVED BY: SJM	CHECKED BY: JD	DRAWN BY: PJ	DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE	<h3 style="margin: 0;">SQUARE NICKEL BRONZE TOP</h3> <h3 style="margin: 0;">12" (305) TOP - DAIRY DRAINS FOR QUARRY TILE FLOORS</h3> <p style="margin: 5px 0;">FUNCTION: Used in creameries, dairies, breweries and other locations which utilize a quarry tile floor requiring a 3" (76) flange to top dimension. The ported sediment bucket catches all solids yet provides ample drainage.</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> WITH DOME BOTTOM STRAINER </div> <div style="text-align: center;"> WITH SEDIMENT BUCKET </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;"> <p>Free Area 42 SQ IN (271) SQ CM</p> <p>Ported Bucket With 1/16" (2) Stainless Steel Mesh Screens</p> </div> </div> <p style="margin-top: 10px;">A (Pipe Size) = 02(50), 03(80) or 04(100)</p>																																																		
<h3 style="margin: 0;">FEATURES, OPTIONS & ORDERING INFORMATION</h3> <p style="margin: 5px 0;">REGULARLY FURNISHED: Cast Iron Flanged Receptor with Seepage Holes, Acid Resistant Coated Interior, Nickel Bronze Rim and Secured Grate. Aluminum Dome Bottom Strainer or Sediment Bucket as Indicated by Figure Number.</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>OPTIONAL MATERIALS:</p> <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> All Duco Cast Iron Receptor -CI <input type="checkbox"/> All Galvanized Receptor -G </div> <div> <input type="checkbox"/> Aluminum Flat Bottom Strainer -FBS <input type="checkbox"/> Aluminum Slotted Sediment Bucket -ASB (in place of ported bucket) <input type="checkbox"/> Flashing Clamp -C <input type="checkbox"/> Less Flange (Specify Fig. 3115,3125,3135,3116,3126,3136) </div> </div> <p>NOTE: Dimensions shown in parentheses are in millimeters.</p> </div> <div style="width: 45%;"> <p>VARIATIONS:</p> <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Polished Aluminum Dome Bottom Strainer -PDBS <input type="checkbox"/> Solid Bottom Ported Sediment Bucket with Stainless Steel Mesh Screens -SBP <input type="checkbox"/> Vandal Proof Grate -U <input type="checkbox"/> L Speedi-set Service Weight 02(50), 03(80) & 04"(100) sizes only <input type="checkbox"/> LXH Speedi-Set Extra Heavy 02(50), 03(80) & 04"(100) sizes only </div> </div> </div> </div>																																																										
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">SUFFIX NUMBER</th> <th style="width: 10%;">SQUARE RIM</th> <th style="width: 80%;">DESCRIPTION</th> </tr> </thead> <tbody> <tr><td><input type="checkbox"/></td><td>-10</td><td>Less NB Rim and Grate</td></tr> <tr><td><input type="checkbox"/></td><td>-11</td><td>Less Grate w/NB Rim</td></tr> <tr><td><input type="checkbox"/></td><td>-12</td><td>With NB Rim and 1/2 Grate</td></tr> <tr><td><input type="checkbox"/></td><td>-13</td><td>With NB Rim and 3/4 Grate</td></tr> <tr><td><input type="checkbox"/></td><td>-14</td><td>With NB Rim and Grate with 2 1/2" (64) SQ Center Hole</td></tr> <tr><td><input type="checkbox"/></td><td>-15</td><td>With NB Rim and Aluminum Recessed Grate</td></tr> <tr><td><input type="checkbox"/></td><td>-19</td><td>With NB Rim and Hinged Grate</td></tr> <tr><td><input type="checkbox"/></td><td>-21</td><td>With NB Rim and Grate with 4" (100) DIA NB Funnel</td></tr> <tr><td><input type="checkbox"/></td><td>-22</td><td>With NB Rim and Grate with 6" (150) DIA NB Funnel</td></tr> <tr><td><input type="checkbox"/></td><td>-25</td><td>With NB Rim and Grate with 8 1/4(210) x 3 1/4(83) x 4 1/2"(115) High Oval NB Funnel</td></tr> <tr><td><input type="checkbox"/></td><td>-26</td><td>With NB Rim and Grate with 6(150) x 2 1/2(64) x 1"(25) High Oval NB Funnel</td></tr> <tr><td><input type="checkbox"/></td><td>-41</td><td>With NB Rim and Solid Cover</td></tr> <tr><td><input type="checkbox"/></td><td>-42</td><td>With NB Rim and 1/2 Solid Cover</td></tr> <tr><td><input type="checkbox"/></td><td>-43</td><td>With NB Rim and 3/4 Solid Cover</td></tr> <tr><td><input type="checkbox"/></td><td>-44</td><td>With NB Rim and Solid Cover with 2 1/2" (64) DIA Center Hole</td></tr> <tr><td><input type="checkbox"/></td><td>-69</td><td>With NB Rim and XH Stainless Steel Secured Grate</td></tr> </tbody> </table>								SUFFIX NUMBER	SQUARE RIM	DESCRIPTION	<input type="checkbox"/>	-10	Less NB Rim and Grate	<input type="checkbox"/>	-11	Less Grate w/NB Rim	<input type="checkbox"/>	-12	With NB Rim and 1/2 Grate	<input type="checkbox"/>	-13	With NB Rim and 3/4 Grate	<input type="checkbox"/>	-14	With NB Rim and Grate with 2 1/2" (64) SQ Center Hole	<input type="checkbox"/>	-15	With NB Rim and Aluminum Recessed Grate	<input type="checkbox"/>	-19	With NB Rim and Hinged Grate	<input type="checkbox"/>	-21	With NB Rim and Grate with 4" (100) DIA NB Funnel	<input type="checkbox"/>	-22	With NB Rim and Grate with 6" (150) DIA NB Funnel	<input type="checkbox"/>	-25	With NB Rim and Grate with 8 1/4(210) x 3 1/4(83) x 4 1/2"(115) High Oval NB Funnel	<input type="checkbox"/>	-26	With NB Rim and Grate with 6(150) x 2 1/2(64) x 1"(25) High Oval NB Funnel	<input type="checkbox"/>	-41	With NB Rim and Solid Cover	<input type="checkbox"/>	-42	With NB Rim and 1/2 Solid Cover	<input type="checkbox"/>	-43	With NB Rim and 3/4 Solid Cover	<input type="checkbox"/>	-44	With NB Rim and Solid Cover with 2 1/2" (64) DIA Center Hole	<input type="checkbox"/>	-69	With NB Rim and XH Stainless Steel Secured Grate
SUFFIX NUMBER	SQUARE RIM	DESCRIPTION																																																								
<input type="checkbox"/>	-10	Less NB Rim and Grate																																																								
<input type="checkbox"/>	-11	Less Grate w/NB Rim																																																								
<input type="checkbox"/>	-12	With NB Rim and 1/2 Grate																																																								
<input type="checkbox"/>	-13	With NB Rim and 3/4 Grate																																																								
<input type="checkbox"/>	-14	With NB Rim and Grate with 2 1/2" (64) SQ Center Hole																																																								
<input type="checkbox"/>	-15	With NB Rim and Aluminum Recessed Grate																																																								
<input type="checkbox"/>	-19	With NB Rim and Hinged Grate																																																								
<input type="checkbox"/>	-21	With NB Rim and Grate with 4" (100) DIA NB Funnel																																																								
<input type="checkbox"/>	-22	With NB Rim and Grate with 6" (150) DIA NB Funnel																																																								
<input type="checkbox"/>	-25	With NB Rim and Grate with 8 1/4(210) x 3 1/4(83) x 4 1/2"(115) High Oval NB Funnel																																																								
<input type="checkbox"/>	-26	With NB Rim and Grate with 6(150) x 2 1/2(64) x 1"(25) High Oval NB Funnel																																																								
<input type="checkbox"/>	-41	With NB Rim and Solid Cover																																																								
<input type="checkbox"/>	-42	With NB Rim and 1/2 Solid Cover																																																								
<input type="checkbox"/>	-43	With NB Rim and 3/4 Solid Cover																																																								
<input type="checkbox"/>	-44	With NB Rim and Solid Cover with 2 1/2" (64) DIA Center Hole																																																								
<input type="checkbox"/>	-69	With NB Rim and XH Stainless Steel Secured Grate																																																								
FIGURE NUMBER	H G F	04/10/02 03/14/02 4-8-96	Rev. S.S. Mesh Size Corrected Dim. Location Rev Rim Description	JJ JJ EMB	CL AM BS	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER 3110-3131 SERIES																																																		
REV.	DATE		DESCRIPTION	BY	CKD. BY																																																					