

KING SAFETY HAND TOOLS



ERGONOMIC HAND TOOLS

THE CONTRACTOR'S CHOICE®

- (A) **Precision ground stripping nest.**

- (B) **AWG and metric wire sizes**
Wire sizes permanently "laser etched" in metal.

- (C) **Heat treated steel pivot bushings**

- (D) **Automatic spring return**

- (E) **Ergonomic shaped handles**
Helps protect against carpal tunnel injury. Handles designed to minimize amount of energy required. Unique, non-slip air-pocket cushion grips.



STANDARD HAND TOOLS

Everyday Value

- (A) **Precision ground stripping nests**

- (B) **AWG and metric wire sizes**
Wire sizes permanently laser etched in metal.

- (C) **Super tough hardened steel pivot bushing**

- (D) **Non-slip grip**

KING SAFETY ERGONOMIC HAND TOOLS

KING SAFETY ERGONOMIC HAND TOOL SPEC SHEET

ERGONOMIC WIRE STRIPPER / CRIMPER / CUTTER

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46501	Each	Min/Max Strip AWG: 22-10	• Multi purpose stripper, crimper
		Crimps AWG INS/Non-INS: 22-18/16-10	• Scissors-style blade and stripping nest
		Non-INS mm: Auto 7 & 8	• Stripping nest located in nose
		Bolt Cutter Sizes: 4-40/5-40/6-32/ 8-32/10-32/10-24	• Bolt cutting capabilities
		Weight: 8 oz /227 G	• Air pocket cushioned grip
		Dimensions: 8.25"/210mm	• Wire sizes permanently laser etched in metal



ERGONOMIC WIRE STRIPPER / CUTTER

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46506	Each	Min/Max Strip AWG: 26-16	• Plier nose for pulling and looping wire
		Min/Max Strip mm: 0.40-1.3	• Precision ground stripping nest
		Weight: 6 oz /170 G	• Scissor-type cutting blade
		Dimensions: 6"/152mm	• Scissor-type cutting blade
			• Wire sizes permanently laser etched in metal
			• Handle lock for added safety



ERGONOMIC WIRE STRIPPER / CUTTER

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46507	Each	Min/Max Strip AWG: 30-22	• Plier nose for pulling and looping wire
		Min/Max Strip mm: 0.25-0.65	• Precision ground stripping nest
		Weight: 6 oz /170 G	• Scissor-type cutting blade
		Dimensions: 6"/152mm	• Air pocket cushioned grip
			• Wire sizes permanently laser etched in metal
			• Handle lock for added safety



ERGONOMIC WIRE STRIPPER / CUTTER WITH HANDLE LOCK

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46515	Each	Min/Max Strip AWG: 20-10	• Plier nose for pulling and looping wire
		Min/Max Strip mm: 0.8-2.6	• Precision ground stripping nest
		Weight: 6 oz /170 G	• Scissor-type cutting blade
		Dimensions: 6"/152mm	• Handle lock for added safety
			• Air pocket cushioned grip
			• Wire sizes permanently laser etched in metal



ERGONOMIC UP FRONT CRIMPER

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46522	Each	Min/Max Strip AWG: 22-10	• Anvil-type wire cutter
		Crimps AWG INS/Non-INS: 22-10/12-10	• Bolt cutting capabilities
		Bolt Cutter Sizes: 4-40/6-32/8-32/ 10-32/10-24	• Air pocket cushioned grip
		Weight: 8 oz /227 G	• Wire sizes permanently laser etched in metal
		Dimensions: 7.5"/190mm	• Color-coded crimping jaws



KING SAFETY STANDARD HAND TOOLS

KING SAFETY STANDARD HAND TOOL SPEC SHEET

STANDARD WIRE STRIPPER / CRIMPER

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46001	Each	Min/Max Strip AWG: 22-10	• Five-in-one combo tool
		Crimps AWG INS/Non-INS: 22-18/16-10	• Precision ground stripping nest
		Non-INS mm: Auto 7 & 8	• Plier nose for pulling and looping wire
		Bolt Cutter Sizes: 4-40/5-40/6-32/ 8-32/10-32/10-24	• Auto crimp station 7-8mm
		Weight: 7.8 oz /221 G	• Non-slip grip
		Dimensions: 8.25"/210mm	



STANDARD WIRE STRIPPER WITH HANDLE LOCK

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46005	Each	Min/Max Strip AWG: 20-10	• Serrated plier nose
		Min/Max Strip mm: 0.8-2.6	• Precision ground stripping nests
		Weight: 4.1 oz /116 G	• Automatic spring return
		Dimensions: 6"/152mm	• Scissor-type cutter
			• Handle lock for added safety
			• Non-slip grip



STANDARD UP FRONT STRIPPER / CUTTER

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46007	Each	Min/Max Strip AWG: 30-22	• Serrated plier nose
		Min/Max Strip mm: 0.25-0.65	• Precision ground stripping nest
		Weight: 4.1 oz /116 G	• Automatic spring return
		Dimensions: 6"/152mm	• Wire looping holes
			• Handle lock for added safety
			• Non-slip grip



STANDARD ALL PURPOSE TOOL

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46018	Each	Min/Max Strip AWG: 20-10	• Anvil-type wire cutter
		Crimps AWG INS/Non-INS: 22-14/12-10	• Precision ground stripping nest
		Non-INS mm: Auto 7 & 8	• Crimps insulated and non-insulated wire
		Bolt Cutter Inches: 4-40/6-32/8-32/ 10-32/10-24	• Bolt cutter
		Weight: 8.5 oz /241 G	• Auto crimp stations 7-8mm
		Dimensions: 8.75"/222mm	• Non-slip grip



STANDARD "V" STRIPPER WITH SLIDE LOCK

CATALOG #	SELLING UNIT	SPECIFICATIONS	DESCRIPTION
46101	Each	Min/Max Strip AWG: 22-10	• Track adjustment for setting strip size
		Weight: 1.3 oz /37 G	• Automatic spring return
		Dimensions: 6"/152mm	• Automatic spring return
			• Cuts and strips both solid and stranded wires
			• Slide lock
			• Non-slip grip

