




INSERT FITTINGS

**PVC & Nylon
List Prices**

Effective:
May 28, 2001

Suggested List Price

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
 Tee (insert)	1401-005	1/2	40	1.22
	1401-007	3/4	25	1.33
	1401-010	1	20	1.73
	1401-012	1 1/4	10	2.70
	1401-015	1 1/2	10	3.06
	1401-020	2	10	6.04
	1401-030	3	5	21.76
	NYLON			
	N401-005	1/2	40	1.66
	N401-007	3/4	25	1.78
	N401-010	1	20	2.94
	N401-012	1 1/4	10	5.28
	N401-015	1 1/2	10	6.63
	N401-020	2	10	8.95

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
 Reducing Tee (insert x insert x reducing insert)	1401-101	3/4 x 3/4 x 1/2	25	1.49
	1401-130	1 x 1 x 1/2	20	1.76
	1401-131	1 x 1 x 3/4	20	1.78
	1401-166	1 1/4 x 1 1/4 x 1/2	10	2.31
	1401-167	1 1/4 x 1 1/4 x 3/4	10	2.31
	1401-168	1 1/4 x 1 1/4 x 1	10	2.31
	1401-209	1 1/2 x 1 1/2 x 1/2	5	4.03
	1401-210	1 1/2 x 1 1/2 x 3/4	5	4.03
	1401-211	1 1/2 x 1 1/2 x 1	5	4.03
	1401-212	1 1/2 x 1 1/2 x 1 1/4	5	4.03
	1401-247	2 x 2 x 1/2	5	5.73
	1401-248	2 x 2 x 3/4	5	5.73
	1401-249	2 x 2 x 1	5	5.73
	1401-250	2 x 2 x 1 1/4	5	6.01
	1401-251	2 x 2 x 1 1/2	5	6.19


	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
 Reducing Tee (insert x reducing insert x reducing insert)	1401-094	3/4 x 1/2 x 1/2	20	1.66
	1401-125	1 x 3/4 x 3/4	20	2.87
	1401-157	1 1/4 x 1 x 3/4	10	3.29
	1401-158	1 1/4 x 1 x 1	10	3.29
	1401-202	1 1/2 x 1 1/4 x 1	5	4.14
	1401-203	1 1/2 x 1 1/4 x 1 1/4	5	4.14

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
 Transition Tee (slip x slip x insert)	1102-249	2 x 2 x 1	10	*

*See Schedule 40 Price List; discounts will vary.

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
 Bullhead Tee (insert x insert x bullhead insert)	1401-074	1/2 x 1/2 x 3/4	10	3.31
	1401-102	3/4 x 3/4 x 1	10	3.82
	1401-132	1 x 1 x 1 1/4	5	5.33

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
 Combination and Reducing Tee (insert x insert x FIPT)	1402-005	1/2 x 1/2 x 1/2	50	1.33
	1402-007	3/4 x 3/4 x 3/4	25	2.00
	1402-010	1 x 1 x 1	15	2.35
	1402-012	1 1/4 x 1 1/4 x 1 1/4	10	3.46
	1402-015	1 1/2 x 1 1/2 x 1 1/2	5	6.01
	1402-020	2 x 2 x 2	5	7.44
	1402-101	3/4 x 3/4 x 1/2	25	1.66
	1402-130	1 x 1 x 1/2	20	2.18
	1402-131	1 x 1 x 3/4	20	2.18
	1402-166	1 1/4 x 1 1/4 x 1/2	10	2.97
	1402-167	1 1/4 x 1 1/4 x 3/4	10	3.28
	1402-168	1 1/4 x 1 1/4 x 1	10	3.46
	1402-209	1 1/2 x 1 1/2 x 1/2	5	4.56
	1402-210	1 1/2 x 1 1/2 x 3/4	5	5.40
	1402-211	1 1/2 x 1 1/2 x 1	5	5.40
	1402-212	1 1/2 x 1 1/2 x 1 1/4	5	5.54
	1402-247	2 x 2 x 1/2	5	6.12
	1402-248	2 x 2 x 3/4	5	6.46
	1402-249	2 x 2 x 1	5	7.11
	1402-251	2 x 2 x 1 1/2	5	7.44

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
 Combination/Reducing Tee (insert x reducing insert x reducing FIPT)	1402-094	3/4 x 1/2 x 1/2	20	2.17
	1402-124	1 x 3/4 x 1/2	10	2.71
	1402-125	1 x 3/4 x 3/4	10	3.22
	1402-156	1 1/4 x 1 x 1/2	10	4.01
	1402-157	1 1/4 x 1 x 3/4	10	4.69

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
 Combination Tee (insert x insert x MIPT)	1403-005	1/2	25	1.69
	1403-007	3/4	20	2.31
	1403-010	1	10	2.97
	1403-012	1 1/4	10	3.85
	1403-015	1 1/2	5	4.33

Suggested List Price

90° Elbow



(insert x insert)

PART NO.	SIZE	CARTON	PRICE
	(IN.)	(QTY.)	(EA.)
1406-005	1/2	50	1.12
1406-007	3/4	50	1.37
1406-010	1	25	1.51
1406-012	1 1/4	10	1.69
1406-015	1 1/2	10	2.00
1406-020	2	10	2.80
1406-030	3	8	15.89
NYLON			
N406-005	1/2	50	1.31
N406-007	3/4	50	1.68
N406-010	1	25	1.78
N406-012	1 1/4	10	3.03
N406-015	1 1/2	10	4.45
N406-020	2	10	7.44

90° Reducing Elbow



(insert x reducing insert)

PART NO.	SIZE	CARTON	PRICE
	(IN.)	(QTY.)	(EA.)
1406-101	3/4 x 1/2	25	1.29
1406-131	1 x 3/4	10	1.58
1406-168	1 1/4 x 1	10	2.35
1406-212	1 1/2 x 1 1/4	10	2.80

Combination Reducing 90° Elbow



(insert x FIPT)

PART NO.	SIZE	CARTON	PRICE
	(IN.)	(QTY.)	(EA.)
1407-005	1/2 x 1/2	50	1.27
1407-007	3/4 x 3/4	25	1.37
1407-010	1 x 1	25	1.76
1407-012	1 1/4 x 1 1/4	10	2.60
1407-015	1 1/2 x 1 1/2	10	2.97
1407-020	2 x 2	5	5.02
1407-101	3/4 x 1/2	50	1.29
1407-130	1 x 1/2	25	1.37
1407-131	1 x 3/4	25	1.58
1407-166	1 1/4 x 1/2	25	2.35
1407-167	1 1/4 x 3/4	10	2.35
1407-168	1 1/4 x 1	10	2.35
1407-211	1 1/2 x 1	10	2.67
1407-212	1 1/2 x 1 1/4	10	2.91
1407-251	2 x 1 1/2	5	4.74

Combination 90° Elbow (White PVC)



(insert x slip)

PART NO.	SIZE	CARTON	PRICE
	(IN.)	(QTY.)	(EA.)
127-957	1 1/2	50	5.10

Combination 90° Elbow



(insert x MIPT)

PART NO.	SIZE	CARTON	PRICE
	(IN.)	(QTY.)	(EA.)
1413-005	1/2	25	1.41
1413-007	3/4	25	1.95
1413-010	1	10	2.56
1413-012	1 1/4	10	3.41
1413-015	1 1/2	10	4.52
1413-020	2	10	7.12
NYLON			
N413-005	1/2	25	2.15
N413-007	3/4	25	4.22
N413-010	1	10	4.85
N413-012	1 1/4	10	5.68
N413-015	1 1/2	10	2.91

Cross



(insert)

PART NO.	SIZE	CARTON	PRICE
	(IN.)	(QTY.)	(EA.)
1420-007	3/4	10	3.20
1420-010	1	10	3.99

Coupling



(insert x insert)

PART NO.	SIZE	CARTON	PRICE
	(IN.)	(QTY.)	(EA.)
1429-005	1/2	50	0.58
1429-007	3/4	50	0.68
1429-010	1	40	0.72
1429-012	1 1/4	20	1.06
1429-015	1 1/2	20	1.26
1429-020	2	10	2.39
1429-030	3	10	10.45
1429-040	4	8	14.23
NYLON			
N429-005	1/2	50	0.81
N429-007	3/4	50	0.94
N429-010	1	40	1.25
N429-012	1 1/4	20	2.24
N429-015	1 1/2	20	2.92
N429-020	2	10	3.51

Suggested List Price

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Reducing Coupling	1429-101	3/4 x 1/2	50	0.94
	1429-130	1 x 1/2	40	1.28
	1429-131	1 x 3/4	40	0.95
	1429-167	1 1/4 x 3/4	20	1.96
	1429-168	1 1/4 x 1	20	1.51
	1429-210	1 1/2 x 3/4	20	2.39
	1429-211	1 1/2 x 1	20	2.29
	1429-212	1 1/2 x 1 1/4	10	1.78
	1429-249	2 x 1	10	3.22
	1429-250	2 x 1 1/4	10	3.01
	1429-251	2 x 1 1/2	10	2.86



(insert x
reducing insert)

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Female Adapter	1435-005	1/2	30	2.49
	1435-007	3/4	30	2.71
	1435-010	1	30	3.01
	1435-012	1 1/4	25	3.69
	1435-015	1 1/2	15	4.69
	1435-020	2	10	7.92



(insert x FIPT)

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Male Adapter	1436-005	1/2	50	0.57
	1436-007	3/4	50	0.68
	1436-010	1	40	0.71
	1436-012	1 1/4	20	1.13
	1436-015	1 1/2	20	1.26
	1436-020	2	10	2.40
	1436-030	3	10	11.39
	1436-040	4	8	15.85
	NYLON			
	N436-005	1/2	50	0.81
	N436-007	3/4	50	0.95
	N436-010	1	40	1.25
	N436-012	1 1/4	20	2.06
	N436-015	1 1/2	20	2.73
	N436-020	2	10	3.51



(insert x MIPT)

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Reducing Male Adapter	1436-074	1/2 x 3/4	50	1.78
	1436-075	1/2 x 1	50	1.84
	1436-102	3/4 x 1	50	1.84
	1436-132	1 x 1 1/4	15	2.24
	1436-133	1 x 1 1/2	15	3.37
	1436-169	1 1/4 x 1 1/2	10	3.37
	1436-213	1 1/2 x 2	10	4.34



(reducing MIPT
x insert)

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Reducing Male Adapter	1436-101	3/4 x 1/2	50	1.60
	1436-131	1 x 3/4	30	1.66
	1436-167	1 1/4 x 3/4	25	1.96
	1436-168	1 1/4 x 1	25	2.11
	1436-211	1 1/2 x 1	25	2.56
	1436-212	1 1/2 x 1 1/4	20	2.56
	1436-251	2 x 1 1/2	10	4.30



(MIPT x
reducing insert)

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Pool Adapter	1436-170	1 1/4 x 1 1/4	25	3.02
	1436-205	1 1/2 x 1 1/4	25	3.49



2" length
(MIPT x sp)

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Insert Plug	1449-005	1/2	100	1.02
	1449-007	3/4	100	1.06
	1449-010	1	40	1.43
	1449-012	1 1/4	30	1.81
	1449-015	1 1/2	20	1.97
	1449-020	2	10	3.49



(insert)

Suggested List Price

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Riser Extender (White PVC) 	434-005	1/2 x 2 1/16 lg.	50	*
	434-007	3/4 x 1 5/8 lg.	50	*
	434-008	3/4 x 2 5/16 lg.	50	*
	434-020	2 x 2 11/16 lg.	25	*
	439-005	1/2 x 1 3/8 lg.	50	*

*See Schedule 40 Price List; discounts will vary.

(MIPT x FIPT)

	PART NO.	SIZE	CARTON	PRICE
		(IN.)	(QTY.)	(EA.)
Adapter (White PVC) 	474-007	3/4	50	*
	474-010	1	50	*
	474-015	1 1/2	25	*


*See Schedule 40 Price List; discounts will vary.

(slip x insert)
(PVC pipe to
flexible pipe)

RECOMMENDED INSTALLATION PROCEDURES

INSERT (BARBED) CONNECTIONS:
 Sizes 1/2, 3/4 and 1 inch – one clamp directly over barbs.

Sizes 1 1/4 inch and greater – one clamp directly over barbs **plus** one additional clamp.



FIPT	Female Iron Pipe Thread
MIPT	Male Iron Pipe Thread
slip	Solvent Cement Socket
sp	Spigot
T.B.E.	Threaded Both Ends
T.O.E.	Threaded One End
insert	Barbed

LASCO®

Fittings, Inc.

Headquarters

P.O. Box 116
414 Morgan Street
Brownsville, TN 38012
731/772-3180
800/776-2756
Fax: 731/772-0835

Service Centers

6131 Knott Avenue
Buena Park, CA 90620
714/690-9679
800/995-2726
Fax: 714/736-1780

4780 Holly Street, Unit A
Denver, CO 80216
303/388-7204
888/388-5450
Fax: 303/388-7199

6800 Kingspointe Parkway, Suite 400
Orlando, FL 32819-8588
407/206-5705
800/437-3155
Fax: 407/515-6542

245 East Lies Road
Carol Stream, IL 60188-9421
630/597-0150
888/995-7414
Fax: 630/597-0156

325 Lasley Avenue
Wilkes Barre, PA 18706-1424
570/301-1170
800/882-5462
Fax: 570/301-1176

1600 Kelly Blvd., Suite 130
Carrollton, TX 75006
972/417-0073
800/642-8104
Fax: 972/417-9733

22473 72nd Avenue South
Kent, WA 98032
253/872-0185
888/285-2726
Fax: 253/395-0221

Limited Warranty

LASCO Fittings, Inc. products are made from 100% virgin materials and are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way. THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

**DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.
DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.
DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.
MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.**

STANDARDS AND SPECIFICATIONS – Insert Fittings

ASTM D-2609 – Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe.

ASTM D-1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds.

MATERIAL – LASCO PVC Insert Fittings are produced from PVC Type 1, Cell Classification 12454-B.

LISTINGS – NSF (National Sanitation Foundation) for potable water services.

Standard Terms and Conditions of Sale

1. **Terms:** 2% 35 days, net 45 days.
2. **Freight:** FOB LASCO warehouses. Prepaid on orders for products only totaling \$1000 net for one shipment to single destination within the contiguous United States.
3. **Minimum Order:** \$50 net. Smaller orders billed at this minimum charge.
4. **Claims** for shipping errors must be made within 15 days to LASCO. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
5. **Returns** will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise subject to a 20% handling/restocking charge.
6. **Pricing** is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
7. **Offer to sell** is not implied by possession of this or other LASCO price lists.



Visit our worldwide website
<http://www.lascofittings.com>