

# **LASCO<sup>®</sup>**

## ***Fittings, Inc.***

**Nipples**

**PVC**

**Schedule 80 &**

**Polyethylene**





**List Prices**

***Effective:***

**May 28, 2001**

# Suggested List Price


Polyethylene Cut-Off Nipples (Threaded both ends)



## Four-In-One "Multi Length" Polyethylene Cut-Off Nipple

- The Four-In-One Nipple allows you to choose which size you need with just one nipple
- Reduce inventory
- No waste
- Reduce contractor down-time

| PART NO. | SIZE          | COLOR | CARTON | PRICE |
|----------|---------------|-------|--------|-------|
|          | (IN.)         |       | (QTY.) | (EA.) |
| M481-005 | 1/2 x 6       | Green | 50     | 0.59  |
| M481-007 | 3/4 x 6       | Green | 25     | 0.86  |
| M481-101 | 3/4 x 1/2 x 6 | Green | 50     | 0.66  |



1/2 x 6 and 3/4 x 6, MIPT x MIPT, Cut-Off Nipple



3/4 x 1/2 x 6, MIPT x MIPT, Cut-Off Nipple

## Standard Quality Polyethylene Cut-Off Nipples

| PART NO. | SIZE    | COLOR | CARTON | PRICE |
|----------|---------|-------|--------|-------|
|          | (IN.)   |       | (QTY.) | (EA.) |
| M461-005 | 1/2 x 6 | Black | 50     | 0.35  |
| M461-007 | 3/4 x 6 | Black | 25     | 0.56  |



1/2 x 6 and 3/4 x 6, MIPT x MIPT, Cut-Off Nipple

Polyethylene Nipple discount varies from PVC 80 Nipples. Consult Lasco Sales Representative.

## CPVC Schedule 80 Nipples

| PART NO. | SIZE           | COLOR | CARTON | PRICE |
|----------|----------------|-------|--------|-------|
|          | (IN.)          |       | (QTY.) | (EA.) |
| 9207-060 | 3/4 x 6 TBE    | CPVC  | 50     | 4.92  |
| 9215-060 | 1 1/2 x 6 TBE  | CPVC  | 25     | 9.87  |
| 9215-120 | 1 1/2 x 12 TBE | CPVC  | 25     | 19.78 |
| 9220-060 | 2 x 6 TBE      | CPVC  | 10     | 12.66 |
| 9220-120 | 2 x 12 TBE     | CPVC  | 15     | 25.26 |



## Reducing Nipple TBE

| PART NO. | SIZE      | COLOR  | CARTON | PRICE |
|----------|-----------|--------|--------|-------|
|          | (IN.)     |        | (QTY.) | (EA.) |
| 882-101  | 3/4 x 1/2 | Sch 80 | 50     | 0.80  |



# Suggested List Price

## PVC Schedule 80 Nipples



| UNIFORM<br>PART NUMBERS |         | SIZE<br>(IN.)         | QTY | PRICE |       |
|-------------------------|---------|-----------------------|-----|-------|-------|
| TBE                     | TOE     |                       |     | TBE   | TOE   |
| 202-009                 | —       | 1/4 x close           | 50  | 0.67  | —     |
| * 205-011               | 105-011 | 1/2 x 1 1/8 (close)   | 50  | 0.43  | 0.77  |
| * 205-020               | 105-020 | 1/2 x 2               | 50  | 0.46  | 0.89  |
| * 205-025               | 105-025 | 1/2 x 2 1/2           | 50  | 0.49  | 0.89  |
| * 205-030               | 105-030 | 1/2 x 3               | 50  | 0.55  | 1.01  |
| 205-040                 | 105-040 | 1/2 x 4               | 50  | 0.59  | 1.09  |
| 205-050                 | 105-050 | 1/2 x 5               | 50  | 0.69  | 1.32  |
| 205-060                 | 105-060 | 1/2 x 6               | 50  | 0.77  | 1.45  |
| 205-080                 | 105-080 | 1/2 x 8               | 50  | 0.90  | 1.68  |
| 205-100                 | 105-100 | 1/2 x 10              | 50  | 1.09  | 2.01  |
| 205-120                 | 105-120 | 1/2 x 12              | 50  | 1.23  | 2.19  |
| 205-160                 | 105-160 | 1/2 x 16              | 50  | 1.48  | 2.75  |
| 205-180                 | 105-180 | 1/2 x 18              | 50  | 1.67  | 3.01  |
| 205-240                 | 105-240 | 1/2 x 24              | 50  | 2.02  | 3.71  |
| 205-300                 | 105-300 | 1/2 x 30              | 50  | 4.20  | 4.20  |
| 205-360                 | 105-360 | 1/2 x 36              | 50  | 6.65  | 6.65  |
| 205-480                 | 105-480 | 1/2 x 48              | 50  | 7.15  | 7.15  |
|                         |         |                       |     |       |       |
| * 207-013               | 107-013 | 3/4 x 1 3/8 (close)   | 50  | 0.46  | 0.89  |
| * 207-020               | 107-020 | 3/4 x 2               | 50  | 0.49  | 0.89  |
| * 207-030               | 107-030 | 3/4 x 3               | 50  | 0.57  | 1.01  |
| * 207-040               | 107-040 | 3/4 x 4               | 50  | 0.68  | 1.04  |
| * 207-050               | 107-050 | 3/4 x 5               | 50  | 0.81  | 1.45  |
| * 207-060               | 107-060 | 3/4 x 6               | 50  | 0.94  | 1.68  |
| * 207-080               | 107-080 | 3/4 x 8               | 50  | 1.10  | 2.31  |
| * 207-100               | 107-100 | 3/4 x 10              | 50  | 1.31  | 2.38  |
| 207-120                 | 107-120 | 3/4 x 12              | 50  | 1.48  | 2.75  |
| 207-160                 | 107-160 | 3/4 x 16              | 50  | 1.90  | 3.46  |
| 207-180                 | 107-180 | 3/4 x 18              | 50  | 1.99  | 3.58  |
| 207-240                 | 107-240 | 3/4 x 24              | 25  | 2.53  | 4.66  |
| 207-300                 | 107-300 | 3/4 x 30              | 25  | 4.71  | 4.71  |
| 207-360                 | 107-360 | 3/4 x 36              | 25  | 5.82  | 5.82  |
| 207-480                 | 107-480 | 3/4 x 48              | 25  | 7.62  | 7.62  |
|                         |         |                       |     |       |       |
| * 210-015               | 110-015 | 1 x 1 1/2 (close)     | 50  | 0.68  | 1.17  |
| * 210-020               | 110-020 | 1 x 2 (short)         | 50  | 0.72  | 1.32  |
| * 210-030               | 110-030 | 1 x 3                 | 50  | 0.83  | 1.45  |
| * 210-040               | 110-040 | 1 x 4                 | 50  | 0.98  | 1.82  |
| * 210-050               | 110-050 | 1 x 5                 | 50  | 1.23  | 2.17  |
| * 210-060               | 110-060 | 1 x 6                 | 50  | 1.34  | 2.38  |
| * 210-080               | 110-080 | 1 x 8                 | 50  | 1.58  | 3.16  |
| * 210-100               | 110-100 | 1 x 10                | 50  | 1.90  | 3.44  |
| 210-120                 | 110-120 | 1 x 12                | 50  | 2.13  | 3.92  |
| 210-160                 | 110-160 | 1 x 16                | 50  | 2.72  | 5.00  |
| 210-180                 | 110-180 | 1 x 18                | 50  | 3.03  | 5.54  |
| 210-240                 | 110-240 | 1 x 24                | 20  | 3.65  | 6.58  |
| 210-300                 | 110-300 | 1 x 30                | 20  | 7.46  | 7.46  |
| 210-360                 | 110-360 | 1 x 36                | 20  | 14.28 | 14.28 |
| 210-480                 | 110-480 | 1 x 48                | 20  | 17.52 | 17.52 |
|                         |         |                       |     |       |       |
| 212-016                 | 112-016 | 1 1/4 x 1 5/8 (close) | 25  | 0.87  | 1.17  |
| 212-020                 | 112-020 | 1 1/4 x 2 (short)     | 25  | 0.92  | 1.68  |
| 212-025                 | 112-025 | 1 1/4 x 2 1/2         | 25  | 1.01  | 1.82  |
| 212-030                 | 112-030 | 1 1/4 x 3             | 25  | 1.10  | 2.03  |
| 212-040                 | 112-040 | 1 1/4 x 4             | 25  | 1.27  | 2.31  |
| 212-050                 | 112-050 | 1 1/4 x 5             | 25  | 1.51  | 2.80  |
| 212-060                 | 112-060 | 1 1/4 x 6             | 25  | 1.68  | 3.10  |
| 212-080                 | 112-080 | 1 1/4 x 8             | 25  | 2.02  | 4.85  |
| 212-100                 | 112-100 | 1 1/4 x 10            | 25  | 2.35  | 4.28  |
| 212-120                 | 112-120 | 1 1/4 x 12            | 25  | 2.67  | 4.85  |

| UNIFORM<br>PART NUMBERS |           | SIZE<br>(IN.)         | QTY | PRICE |       |
|-------------------------|-----------|-----------------------|-----|-------|-------|
| TBE                     | TOE       |                       |     | TBE   | TOE   |
| * 215-017               | 115-017   | 1 1/2 x 1 3/4 (close) | 25  | 1.09  | 2.03  |
| * 215-020               | 115-020   | 1 1/2 x 2 (short)     | 25  | 1.15  | 2.03  |
| * 215-025               | 115-025   | 1 1/2 x 2 1/2         | 25  | 1.23  | 2.17  |
| * 215-030               | 115-030 * | 1 1/2 x 3             | 25  | 1.34  | 2.38  |
| * 215-040               | 115-040   | 1 1/2 x 4             | 25  | 1.55  | 2.80  |
| 215-050                 | 115-050   | 1 1/2 x 5             | 25  | 1.77  | 3.25  |
| * 215-060               | 115-060   | 1 1/2 x 6             | 25  | 2.02  | 3.70  |
| * 215-080               | 115-080   | 1 1/2 x 8             | 25  | 2.42  | 4.43  |
| 215-100                 | 115-100   | 1 1/2 x 10            | 25  | 2.80  | 5.11  |
| 215-120                 | 115-120   | 1 1/2 x 12            | 25  | 3.20  | 5.41  |
| 215-180                 | 115-180   | 1 1/2 x 18            | 25  | 10.41 | 10.41 |
| 215-240                 | 115-240   | 1 1/2 x 24            | 25  | 13.14 | 13.14 |
|                         |           |                       |     |       |       |
| * 220-020               | 120-020   | 2 x 2 (close)         | 10  | 1.41  | 2.59  |
| 220-025                 | 120-025   | 2 x 2 1/2 (short)     | 10  | 1.58  | 2.80  |
| * 220-030               | 120-030   | 2 x 3                 | 10  | 1.68  | 3.10  |
| * 220-040               | 120-040   | 2 x 4                 | 10  | 1.95  | 3.52  |
| 220-050                 | 120-050   | 2 x 5                 | 10  | 2.30  | 4.23  |
| * 220-060               | 120-060   | 2 x 6                 | 10  | 2.57  | 4.67  |
| 220-080                 | 120-080   | 2 x 8                 | 10  | 3.13  | 5.76  |
| 220-100                 | 120-100   | 2 x 10                | 10  | 3.70  | 6.75  |
| 220-120                 | 120-120   | 2 x 12                | 15  | 4.24  | 7.73  |
| 220-140                 | 120-140   | 2 x 14                | 10  | 8.23  | 8.23  |
| 220-160                 | 120-160   | 2 x 16                | 10  | 15.89 | 15.89 |
| 220-180                 | 120-180   | 2 x 18                | 10  | 18.98 | 18.98 |
| 220-240                 | 120-240   | 2 x 24                | 10  | 17.78 | 17.78 |
|                         |           |                       |     |       |       |
| 225-025                 | 125-025   | 2 1/2 x 2 1/2 (close) | 5   | 4.04  | 5.69  |
| 225-030                 | 125-030   | 2 1/2 x 3 (short)     | 5   | 4.27  | 5.88  |
| 225-040                 | 125-040   | 2 1/2 x 4             | 5   | 4.88  | 6.80  |
| 225-050                 | 125-050   | 2 1/2 x 5             | 5   | 5.71  | 8.39  |
| 225-060                 | 125-060   | 2 1/2 x 6             | 5   | 6.39  | 9.05  |
| 225-080                 | 125-080   | 2 1/2 x 8             | 5   | 7.62  | 10.59 |
| 225-100                 | 125-100   | 2 1/2 x 10            | 5   | 9.22  | 12.88 |
| 225-120                 | 125-120   | 2 1/2 x 12            | 10  | 10.53 | 15.04 |
|                         |           |                       |     |       |       |
| 230-026                 | 130-026   | 3 x 2 5/8 (close)     | 5   | 4.63  | 6.80  |
| 230-030                 | 130-030   | 3 x 3 (short)         | 5   | 4.95  | 6.98  |
| 230-040                 | 130-040   | 3 x 4                 | 5   | 5.85  | 8.51  |
| 230-050                 | 130-050   | 3 x 5                 | 5   | 6.75  | 10.77 |
| 230-060                 | 130-060   | 3 x 6                 | 5   | 7.58  | 11.66 |
| 230-080                 | 130-080   | 3 x 8                 | 5   | 9.40  | 14.53 |
| 230-100                 | 130-100   | 3 x 10                | 5   | 11.20 | 17.22 |
| 230-120                 | 130-120   | 3 x 12                | 5   | 12.71 | 20.10 |
| 230-180                 | 130-180   | 3 x 18                | 5   | 33.42 | 33.42 |
|                         |           |                       |     |       |       |
| 240-028                 | 140-028   | 4 x 2 7/8 (close)     | 5   | 7.58  | 11.04 |
| 240-040                 | 140-040   | 4 x 4 (short)         | 5   | 7.95  | 11.24 |
| 240-050                 | 140-050   | 4 x 5                 | 5   | 8.97  | 15.44 |
| 240-060                 | 140-060   | 4 x 6                 | 5   | 9.03  | 15.86 |
| 240-080                 | 140-080   | 4 x 8                 | 5   | 12.06 | 20.27 |
| 240-100                 | 140-100   | 4 x 10                | 5   | 14.16 | 24.74 |
| 240-120                 | 140-120   | 4 x 12                | 5   | 16.57 | 28.11 |

\* = Molded

T.B.E. = Threaded Both Ends

T.O.E. = Threaded One End

# LASCO<sup>®</sup>

## Fittings, Inc.

### Headquarters

P.O. Box 116  
414 Morgan Street  
Brownsville, TN 38012  
731/772-3180  
800/776-2756  
Fax: 731/772-0835

### Service Centers

6131 Knott Avenue  
Buena Park, CA 90620  
714/690-9679  
800/995-2726  
Fax: 714/736-1780

4780 Holly Street, Unit A  
Denver, CO 80216  
303/388-7204  
888/388-5450  
Fax: 303/388-7199

6800 Kingspointe Pkwy., Suite 400  
Orlando, FL 32819-8588  
407/206-5705  
800/437-3155  
Fax: 407/515-6542

245 East Lies Road  
Carol Stream, IL 60188-9421  
630/597-0150  
888/995-7414  
Fax: 630/597-0156

325 Lasley Avenue  
Wilkes Barre, PA 18706-1424  
570/301-1170  
800/882-5462  
Fax: 570/301-1176

1600 Kelly Blvd., Suite 130  
Carrollton, TX 75006  
972-417-0073  
800/642-8104  
Fax: 972/417-9733

22473 72nd Avenue South  
Kent, WA 98032  
253/872-0185  
888/285-2726  
Fax: 253/395-0221

Printed in U.S.A.  
L06-NP-5M  
©2003 LASCO Fittings, Inc.

### Limited Warranty

LASCO Fittings, Inc. products are made from 100% virgin materials and are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way. THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

**DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.  
DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.  
DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.  
MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.**

### STANDARDS AND SPECIFICATIONS – Schedule 80 Nipples

ASTM D-2464 – Threaded Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80.  
ASTM F-437 – Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings.  
ASTM D-1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds.  
ASTM D-1785 – Poly (Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120.  
MATERIAL – LASCO Schedule 80 Fittings are produced from PVC Type 1, Grade 1, Cell Classification 12454-B. LASCO CPVC Fittings are produced from Type IV, Grade 1, Cell Classification 23447-B.

### Standard Terms and Conditions of Sale

1. **Terms:** 2% 35 days, net 45 days.
2. **Freight:** FOB LASCO warehouses. Prepaid on orders for products only totaling \$1000 net for one shipment to single destination within the contiguous United States.
3. **Minimum Order:** \$50 net. Smaller orders billed at this minimum charge.
4. **Claims** for shipping errors must be made within 15 days to LASCO. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
5. **Returns** will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise subject to a 20% handling/restocking charge.
6. **Pricing** is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
7. **Offer** to sell is not implied by possession of this or other LASCO price lists.



**Visit our worldwide website  
<http://www.lascofittings.com>**