


Tag:
Series : **5500**

M E T A L* A I R E[®]
Submittal No: **5500**


Square / Rectangular Louver Face Ceiling Diffusers
Extruded Aluminum

Models: 5500-1	Flush Surface Mounting
5500-2	V-Beveled Drop Surface Mounting
5500-4	Deep Drop Surface Mounting
5500-46	Lay in T-Bar Deep Drop Surface Mounting
5500-6	Lay in T-Bar (12x12, 24x24, 36x 24, 48x24 and 48x48 Module)
5500-7	Concealed Spline (24x24 Module)
5500-8	Tegular T-Bar (24x24 Module)
5500-9	Donn Fineline (24x24 Module)


Model: 5500-1 (Flush Surface Mounting)




Model: 5500-2 (V-Beveled Drop Surface Mounting)




Model: 5500-4 (Deep Drop Surface Mounting)




Model: 5500-46 Lay in T-Bar (Deep Drop Surface Mounting)



Model: 5500-6 (Lay in T-Bar)



Model: 5500-7 (Concealed Spline)



Dimensions are in inches


Tag:
Series : **5500**

M E T A L* A I R E[®]
Submittal No: **5500**


Square / Rectangular Louver Face Ceiling Diffusers
Extruded Aluminum

Models:


Model: 5500-8 (Tegular T-Bar)



Model: 5500-9 (Donn Finline)



* Dimension indicates the distance needed for Clearance from the bottom of the duct to the ceiling line and must be maintained for proper fit.



Dimensions are in inches

Tag:

Series : 5500


METAL* AIRE®

Submittal No: 5500


Options For Square / Rectangular Louver Face Ceiling Diffusers Extruded Aluminum

Options: D5 Steel Opposed Blade Damper
D5A Aluminum Opposed Blade Damper
APD Adjustable Pattern Deflection Vanes
IV Induction Vanes


- Options: • D5 Steel Opposed Blade Damper
• D5A Aluminum Opposed Blade Damper




APD (Horizontal Pattern)




APD (Vertical Pattern)




- Option: APD Adjustable Air Pattern Deflector



- Option: IV Induction Vanes



IV (Face View)



Frame Style IV	Overall Diffuser Size	Ceiling Opening Dimensions	Bottom of Duct To Ceiling Line
-1	Neck Size + 5 1/4	Neck Size + 3 1/4	1 1/2
-2	Neck Size + 4 5/8	Neck Size + 1/2	13/16
-6	T-Bar Spacing -1/4	T-Bar Module Size	1 11/16
-7	T-Bar Spacing -1/16	T-Bar Module Size	1 11/16
-8	T-Bar Spacing -1/4	T-Bar Module Size	1 15/16
-9	T-Bar Grid Size -1/4	Ceiling Grid Size	1 11/16

Notes: (☐ check if provided)

1. Available Finishes	2. Available Accessories	3. Available Options:	4. Construction Details
Standard Finish ☐ 01 White. Optional Finish(no extra charge) ☐ 02 Aluminum paint. ☐ 24 Mill finish. Optional Finish (extra charge): ☐ 03 Black. ☐ 28 Custom Color. Note: Anodized Finish not available	Square Necks: ☐ D5 Steel Opposed Blade Damper. ☐ D5A Aluminum Opposed Blade Damper ☐ L9 Rectangular Equalizing Grid. ☐ TR Square To Round Transition. Round Necks: ☐ G3 Equalizing Grid. ☐ BDS Butterfly Damper. ☐ RSD Radial Shutter Damper.	☐ APD Air Pattern Deflectors. (Factory Mounted) ☐ Border Only. ☐ Core Only.	- Sizes only as listed. - Available air patterns: S1, S2, S3, S4, R1S, R1L, R2S, R2L R3S, R3L, R4, SC (Type) For 5500-6 (D6) Models Only: 21 x 21 Neck in 24 x 24 Module is available in S4 Pattern only.

Submittal No. 5500

Date: 03/08/2005

Dimensions are in inches

Page: 3 of 3