



MODELS:

- ☐ FAI-10 . 1" SLOT
- ☐ FAI-15 . 1.5" SLOT
- ☐ FAI-20 . 2" SLOT

- ☐ FAII-10 . 1" SLOT . INSULATED
- ☐ FAII-15 . 1.5" SLOT . INSULATED
- ☐ FAII-20 . 2" SLOT . INSULATED

- ☐ FAIR-10 . 1" SLOT . RETURN
- ☐ FAIR-15 . 1.5" SLOT . RETURN
- ☐ FAIR-20 . 2" SLOT . RETURN


- ☐ FAIB-10 . 1" SLOT . BOLT-SLOT
- ☐ FAIB-15 . 1.5" SLOT . BOLT-SLOT
- ☐ FAIB-20 . 2" SLOT . BOLT-SLOT

- ☐ FAIBI-10 . 1" SLOT . BOLT-SLOT . INSULATED
- ☐ FAIBI-15 . 1.5" SLOT . BOLT-SLOT . INSULATED
- ☐ FAIBI-20 . 2" SLOT . BOLT-SLOT . INSULATED


- ☐ FAIBR-10 . 1" SLOT . BOLT-SLOT . RETURN
- ☐ FAIBR-15 . 1.5" SLOT . BOLT-SLOT . RETURN
- ☐ FAIBR-20 . 2" SLOT . BOLT-SLOT . RETURN

INTEGRA SUPPLY

- INLET
- ☐ 6"
- ☐ 8"
- ☐ 10"
- ☐ 12"




INTEGRA RETURN




STANDARD APPLICATION OPTIONS:


☐ BOLT-SLOT




☐ 15/16"



☐ 9/16"



☐ HARD CEILING







formations™
ARCHITECTURAL LINEAR DIFFUSERS

PATTERN CONTROLLER ADJUSTMENT OPTIONS:

☐ STANDARD




☐ COMBO




DIMENSIONAL DATA:

DIM	FAIB, FAIBI, FAIBR	FAI, FAII, FAIR
A	23-7/16	23-13/16




OPTIONAL HIGH CAPACITY RETURN:

☐ HIGH CAPACITY RETURN




1/2" X 1/2" X 1/2" RETURN




MOUNTING HARDWARE:


□ F1



□ F6



□ F10



NOTE: F6 REQUIRED
ON ALL TEE BARS.

GENERAL:

- Diffusers constructed of extruded aluminum.
- All dimensions are in inches.
- Finish is white face, black interior.
- Standard pattern controller.
- Adjustable air pattern controllers.

Job Name: _____

Location: _____

Architect: _____

Engineer: _____

Contractor: _____

Date: _____

Drawing No. _____

Page _____