



NOMINAL CHAMBER SPECIFICATIONS

SIZE (W x H x INSTALLED LENGTH)

CHAMBER STORAGE

MINIMUM INSTALLED STORAGE

WEIGHT

34.0" x 16.0" x 85.4" (864 mm X 406 mm X 2170 mm)

14.7 CUBIC FEET (0.4 m³)

31.0 CUBIC FEET (0.8 m³)

35 lbs. (16.8 kg)

| DATE | DRAWN | CHECKED | DESCRIPTION |
|------|-------|---------|-------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

STORMTECH PLAN DISCLAIMER

THIS PLAN WAS PRODUCED TO DEMONSTRATE A CHAMBER BED LAYOUT THAT PROVIDES THE VOLUME LISTED ON THE PLAN. IT IS THE RESPONSIBILITY OF THE CONSULTING ENGINEER TO ENSURE THAT THE CHAMBER BED LAYOUT MEETS ALL DESIGN REQUIREMENTS AND IS IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS GOVERNING THIS PROJECT. THE CONSULTING ENGINEER IS RESPONSIBLE FOR ALL DESIGN DECISIONS. STORMTECH CHAMBER SYSTEMS MUST BE DESIGNED AND INSTALLED IN ACCORDANCE WITH THE STORMTECH DESIGN MANUAL AND STORMTECH INSTALLATION INSTRUCTIONS.



20 BEAVER ROAD, SUITE 104
WETHERSFIELD, CT 06109
V: 888-892-2694
F: 866-328-8401
WWW.STORMTECH.COM

SC-310 CHAMBER

DATE: 10-31-08

NOT TO SCALE

DRAWN: JLB

CHECKED:

SHEET: 1 OF 1

