



NOMINAL CHAMBER SPECIFICATIONS

SIZE (W x H x INSTALLED LENGTH) -

CHAMBER STORAGE -

MINIMUM INSTALLED STORAGE -

WEIGHT -

51.0" x 30.0" x 85.4"

45.9 CUBIC FEET

74.9 CUBIC FEET

75 LBS.

STUBS AT TOP OF END
CAP FOR PARTS NUMBERS
ENDING WITH "T"

STUBS AT BOTTOM OF END
CAP FOR PARTS NUMBERS
ENDING WITH "B"

PART #	CHAMBER	PIPE SIZE	A	B	C
SC740EPE06T	SC-740	6 in (150 mm)	10.90 in (277 mm)	18.50 in (470 mm)	N/A
SC740EPE06B	SC-740	6 in (150 mm)	10.90 in (277 mm)	N/A	0.50 in (13 mm)
SC740EPE08T	SC-740	8 in (200 mm)	12.20 in (310 mm)	16.50 in (419 mm)	N/A
SC740EPE08B	SC-740	8 in (200 mm)	12.20 in (310 mm)	N/A	0.60 in (15 mm)
SC740EPE10T	SC-740	10 in (250 mm)	13.40 in (340 mm)	14.50 in (368 mm)	N/A
SC740EPE10B	SC-740	10 in (250 mm)	13.40 in (340 mm)	N/A	0.70 in (18 mm)
SC740EPE12T	SC-740	12 in (300 mm)	14.70 in (373 mm)	12.50 in (318 mm)	N/A
SC740EPE12B	SC-740	12 in (300 mm)	14.70 in (373 mm)	N/A	1.20 in (30 mm)
SC740EPE15T	SC-740	15 in (375 mm)	18.40 in (467 mm)	9.00 in (229 mm)	N/A
SC740EPE15B	SC-740	15 in (375 mm)	18.40 in (467 mm)	N/A	1.30 in (33 mm)
SC740EPE18T	SC-740	18 in (450 mm)	19.70 in (500 mm)	5.00 in (127 mm)	N/A
SC740EPE18B	SC-740	18 in (450 mm)	19.70 in (500 mm)	N/A	1.60 in (41 mm)
* SC740EPE24B	SC-740	24 in (600 mm)	18.50 in (470 mm)	N/A	0.10 in (3 mm)

NOTE: ALL DIMENSIONS ARE NOMINAL

ALL STUBS, EXCEPT FOR THE SC740EPE24B ARE PLACED AT BOTTOM OF END CAP SUCH THAT THE OUTSIDE DIAMETER OF THE STUB IS FLUSH WITH THE BOTTOM OF THE END CAP. FOR ADDITIONAL INFORMATION CONTACT STORMTECH AT 1-888-892-2694.

* FOR THE SC740EPE24B THE 24" STUB LIES BELOW THE BOTTOM OF THE END CAP APPROXIMATELY 1.75". BACKFILL MATERIAL SHOULD BE REMOVED FROM BELOW THE N-12 STUB SO THAT THE FITTING SETS LEVEL.

* NOTE: CHAMBER SYSTEM DESIGN MUST BE IN ACCORDANCE WITH STORMTECH DESIGN MANUAL

STORMTECH LLC CONCEPTUAL PLAN DISCLAIMER

THIS STORMTECH CHAMBER SYSTEM LAYOUT WAS PRODUCED TO DEMONSTRATE A BED LAYOUT THAT WILL HANDLE THE DESIGN VOLUME LISTED ABOVE. THE SIZING, FIT AND APPLICABILITY OF THE STORMTECH CHAMBER SYSTEM FOR THIS SPECIFIC PROJECT HAS NOT BEEN DETERMINED. IT IS THE ULTIMATE RESPONSIBILITY OF THE DESIGN ENGINEER TO ASSURE THAT THE STORMWATER SYSTEM DESIGN IS IN FULL COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. STORMTECH PRODUCTS MUST BE DESIGNED AND INSTALLED IN ACCORDANCE WITH STORMTECH'S MINIMUM REQUIREMENTS. STORMTECH LLC DOES NOT APPROVE PLANS, SIZING, OR SYSTEM DESIGNS. THE DESIGNING ENGINEER IS RESPONSIBLE FOR ALL DESIGN DECISIONS.

 <p>Subsurface Stormwater Management™</p>	20 Beaver Road, Suite 104 Wethersfield, CT 06109 Phone: 888-892-2694 Fax: 866-328-8401 www.stormtech.com	
	<h3>SC-740 TECHNICAL SPECIFICATIONS</h3>	
SCALE:	NTS	CHECKED
DATE:		ACAD No.
DRAWN BY:		SHEET OF