




Z610

12 [305] HEAVY-DUTY DRAIN

SPECIFICATION SHEET

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



A Pipe Size	Approx. Wt. Lbs. [kg]	Grate Open Area Sq. In. [cm ²]
2-3-4-5-6 [51-76-102-127-152]	54 [24]	40 [258]
8-10 [203-254]	56 [25]	

ENGINEERING SPECIFICATION: ZURN Z610

12 [305] Square top drain, Dura-Coated cast iron body with bottom outlet, seepage pan and combination membrane flashing clamp and frame for heavy-duty cast iron loose slotted grate, with suspended sediment bucket.

OPTIONS (Check/specify appropriate options)**PIPE SIZE**

2 thru 6, 8, 10 [51 thru 152, 203, 254]
2 thru 4, 6 [51 thru 102, 152]
2 thru 6, 8, 10 [51 thru 152, 203, 254]
2 thru 6, 8, 10 [51 thru 152, 203, 254]
2 thru 4 [51 thru 102]

(Specify size/type) **OUTLET**

_____ IC Inside Caulk
_____ IG Inside Caulk w/Sealtrol Gskt.
_____ IP Threaded
_____ NH No-Hub
_____ NL Neo-Loc

'E' BODY HT. DIM.

5 1/4 [133]
5 1/4 [133]
3 3/4 [95]
5 1/4 [133]
4 5/8 [117]

PREFIXES

_____ Z D.C.C.I. Body and Top*
_____ ZB D.C.C.I Body w/Polished Bronze Top (Add 3/16 [5] to 2 1/2 [64] Dim. and 3/4 [19] to 12 1/2 [318] Dim.)
_____ ZN D.C.C.I Body w/Polished Nickel Bronze Top (Add 3/16 [5] to 2 1/2 [64] Dim. and 3/4 [19] to 12 1/2 [318] Dim.)

SUFFIXES

_____ -AR Acid Resistant Epoxy Coated Cast Iron	_____ -SC Solid Cover
_____ -DG Duresist Grate	_____ -SS Stainless Steel Mesh Liner for Bucket
_____ -DS Ductile Iron Solid Cover	_____ -TC Neo-Loc Test Cap Gasket
_____ -DX Dex-o-tex Flange (ZB, ZN Only)	(2 [51] - 4 [102] NL Bottom Outlet Only)
_____ -F 2 [51] High Extension	_____ -TS Top Secured with Slotted Screws
_____ -G Galvanized Cast Iron	_____ -V Backwater Valve (See Z1099)
_____ -H Hinged Grate	_____ -VP Vandal-Proof Secured Top
_____ -HC Hinged Solid Cover	_____ -YA Aluminum Sediment Bucket
_____ -HL Hinged Locking Grate	_____ -90 90° Threaded Side Outlet Body
_____ -HLC Hinged Locking Cover	
_____ -LY (Less) Sediment Bucket	
_____ -P Trap Primer Connection	
_____ -S Secondary Strainer	

*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

REV. E DATE: 12/14/07 C.N. NO. 97851

DWG. NO. 59240 PRODUCT NO. Z610

ZURN INDUSTRIES, LLC. ♦ SPECIFICATION DRAINAGE OPERATION ♦ 1801 Pittsburgh Ave. ♦ Erie, PA 16514

Phone: 814/455-0921 ♦ Fax: 814/454-7929 ♦ World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292